

**Section III: National Demographic, Injury, and Asthma  
Estimates for Youth Less Than 20 Years of Age on Black Farm  
Operations**



Table 3.1 National estimates of Black farms from the 1997 Census of Agriculture by business status, 2000

Status	Total †	
	Estimate	se
In business	15,301	49
Out of business	3,150	50
<b>Total †</b>	<b>18,451</b>	

† Estimates may not add to the total because of rounding.

Table 3.2 National estimates of **all youth** less than 20 years of age on Black farms by relationship to the farm and type of farm, 2000

Type of Farm	Total †		Household Youth		Hired Youth		Visiting Youth		Relatives		Non-Relatives	
	Estimate	se	Estimate	se	Estimate	se	Estimate	se	Estimate	se	Estimate	se
<b>All crop</b>	<b>49,346</b>	<b>1,833</b>	<b>2,451</b>	<b>71</b>	<b>918</b>	<b>68</b>	<b>45,977</b>	<b>1,812</b>	<b>25,922</b>	<b>608</b>	<b>20,055</b>	<b>1,570</b>
Grain and oil seed	16,293	1,111	917	46	105	19	15,272	1,098	8,707	375	6,565	945
Tobacco	6,488	372	373	28	287	34	5,828	355	3,793	227	2,036	215
Cotton	2,044	188	144	17	12	3	1,889	181	1,221	111	668	101
Vegetable and melon	10,617	1,125	378	29	386	51	9,863	1,114	4,798	275	5,055	1,037
Fruit, nut, and berry	2,609	314	139	20	***		***		1,351	161	***	
Nursery and floriculture	1,581	449	41	9	***		***		503	95	***	
Other crop	9,715	707	460	28	89	16	9,165	698	5,549	296	3,616	514
<b>All livestock</b>	<b>95,212</b>	<b>1,980</b>	<b>4,745</b>	<b>94</b>	<b>766</b>	<b>55</b>	<b>89,702</b>	<b>1,860</b>	<b>51,801</b>	<b>859</b>	<b>37,904</b>	<b>1,552</b>
Beef	79,387	1,623	3,988	86	608	49	74,791	1,596	44,822	804	29,968	1,163
Dairy	4,360	355	255	25	33	9	4,072	343	2,597	208	1,475	219
Hog	894	140	85	13	***		***		363	57	***	
Sheep and goat	5,429	738	203	22	55	12	5,172	726	1,998	194	3,174	622
Equine	1,759	218	113	18	***		***		915	111	692	134
Poultry and egg	434	109	13	4	0		421	6	180	48	241	62
All other livestock*	2,950		88		***		***		925		***	
<b>Unknown</b>	<b>3,014</b>		<b>492</b>		<b>15</b>		<b>2,508</b>		<b>595</b>		<b>913</b>	
<b>Total †</b>	<b>147,573</b>	<b>2,597</b>	<b>7,688</b>	<b>116</b>	<b>1,699</b>	<b>87</b>	<b>138,187</b>	<b>2,573</b>	<b>79,317</b>	<b>992</b>	<b>58,870</b>	<b>2,181</b>

† Estimates may not add to the total because of rounding.

\* All other livestock includes "Aquaculture" and "Other livestock" farms.

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.3 National estimates of **all working youth** less than 20 years of age on Black farms by relationship to the farm and type of farm, 2000

Type of Farm	Total †		Working Household Youth		Non-Household Working Youth		Hired Youth		Working Relatives	
	Estimate	se	Estimate	se	Estimate	se	Estimate	se	Estimate	se
<b>All crop</b>	<b>3,300</b>	<b>132</b>	<b>889</b>	<b>39</b>	<b>2,411</b>	<b>118</b>	<b>918</b>	<b>68</b>	<b>1,493</b>	<b>89</b>
Grain and oil seed	822	62	324	25	498	52	105	19	393	46
Tobacco	791	64	153	15	638	58	287	34	351	42
Cotton	128	19	49	9	79	15	12	3	58	14
Vegetable and melon	915	79	152	16	763	74	386	51	378	47
All other crop*	644		212		433		129		304	
<b>All livestock</b>	<b>5,299</b>	<b>182</b>	<b>1,906</b>	<b>57</b>	<b>3,394</b>	<b>165</b>	<b>766</b>	<b>55</b>	<b>2,628</b>	<b>154</b>
Beef	4,354	152	1,566	50	2,788	138	608	49	2,179	128
Dairy	81	22	32	12	49	12	13	5	37	11
Hog	218	30	98	17	120	19	33	9	87	16
Sheep and goat	71	15	39	9	32	11	***		***	
Equine	280	39	99	15	181	32	55	12	126	29
Poultry and egg	124	24	49	9	75	21	***		***	
All other livestock**	171		22		150		***		***	
<b>Unknown</b>	<b>93</b>		<b>69</b>		<b>24</b>		<b>15</b>		<b>9</b>	
<b>Total †</b>	<b>8,693</b>	<b>221</b>	<b>2,864</b>	<b>68</b>	<b>5,829</b>	<b>202</b>	<b>1,699</b>	<b>87</b>	<b>4,130</b>	<b>177</b>

† Estimates may not add to the total because of rounding.

\* All other crop includes "Fruit, nut, and berry," "Nursery and floriculture," and "Other crop" farms.

\*\* All other livestock includes "Aquaculture" and "Other livestock" farms.

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.4 National estimates of **household youth** less than 20 years of age on Black farms by sex and age, 2000

Age	Total †		Male		Female		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
<b>&lt;10 years</b>	<b>2,353</b>	<b>59</b>	<b>1,206</b>	<b>38</b>	<b>1,147</b>	<b>38</b>	<b>0</b>
<b>10-15 years</b>	<b>2,882</b>	<b>63</b>	<b>1,515</b>	<b>42</b>	<b>1,365</b>	<b>40</b>	<b>2</b>
10-11 years	895	31	483	23	410	21	2
12-13 years	937	31	485	22	452	21	0
14-15 years	1,050	32	547	24	503	22	0
<b>16-19 years</b>	<b>2,118</b>	<b>49</b>	<b>1,151</b>	<b>35</b>	<b>967</b>	<b>32</b>	<b>0</b>
16-17 years	1,149	34	611	25	538	23	0
18-19 years	969	32	540	24	429	21	0
<b>Unknown</b>	<b>335</b>		<b>31</b>		<b>13</b>		<b>291</b>
<b>Total †</b>	<b>7,688</b>	<b>116</b>	<b>3,903</b>	<b>72</b>	<b>3,492</b>	<b>70</b>	<b>293</b>

† Estimates may not add to the total because of rounding.

Table 3.5 National estimates of **household youth** less than 20 years of age on Black farms by sex and type of farm, 2000

Type of Farm	Total †		Male		Female		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
<b>All crop</b>	<b>2,451</b>	<b>71</b>	<b>1,259</b>	<b>44</b>	<b>1,183</b>	<b>44</b>	<b>9</b>
Grain and oil seed	917	46	489	29	428	28	0
Tobacco	373	28	182	16	191	18	0
Cotton	144	17	88	11	56	8	0
Vegetable and melon	378	29	185	17	191	17	2
Fruit, nut, and berry	139	20	75	12	64	12	0
Nursery and floriculture	41	9	19	5	18	6	5
Other crop	460	28	222	17	236	19	2
<b>All livestock</b>	<b>4,745</b>	<b>94</b>	<b>2,503</b>	<b>59</b>	<b>2,208</b>	<b>56</b>	<b>35</b>
Beef	3,988	86	2,086	53	1,868	51	35
Dairy	45	14	21	7	24	8	0
Hog	255	25	149	17	106	14	0
Sheep and goat	85	13	45	8	40	8	0
Equine	203	22	122	16	80	13	0
Poultry and egg	113	18	54	9	59	11	0
Aquaculture	13	4	***		***		0
Other livestock	43	9	***		***		0
<b>Unknown</b>	<b>492</b>		<b>141</b>		<b>102</b>		<b>249</b>
<b>Total †</b>	<b>7,688</b>	<b>116</b>	<b>3,903</b>	<b>72</b>	<b>3,492</b>	<b>70</b>	<b>293</b>

† Estimates may not add to the total because of rounding.

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.6 National estimates of **household youth** less than 20 years of age on Black farms by age and type of farm, 2000

Type of Farm	Total †		<10 years		10-15 years		16-19 years		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate	se	Estimate
<b>All crop</b>	<b>2,451</b>	<b>71</b>	<b>802</b>	<b>36</b>	<b>931</b>	<b>37</b>	<b>707</b>	<b>30</b>	<b>12</b>
Grain and oil seed	917	46	284	22	339	23	294	20	0
Tobacco	373	28	136	15	152	15	85	9	0
Cotton	144	17	55	9	51	8	38	7	0
Vegetable and melon	378	29	94	11	165	16	117	12	2
Fruit, nut, and berry	139	20	41	9	67	11	31	7	0
Nursery and floriculture	41	9	17	6	***		***		5
Other crop	460	28	176	16	***		***		5
<b>All livestock</b>	<b>4,745</b>	<b>94</b>	<b>1,506</b>	<b>47</b>	<b>1,861</b>	<b>52</b>	<b>1,328</b>	<b>40</b>	<b>50</b>
Beef	3,988	86	1,254	43	1,556	46	1,128	36	50
Dairy	45	14	***		***		***		0
Hog	255	25	105	14	102	15	49	7	0
Sheep and goat	85	13	20	6	38	8	27	6	0
Equine	203	22	58	9	68	11	77	12	0
Poultry and egg	113	18	43	8	39	8	31	6	0
Aquaculture	13	4	***		***		***		0
Other livestock	43	9	***		***		***		0
<b>Unknown</b>	<b>492</b>		<b>44</b>		<b>90</b>		<b>84</b>		<b>274</b>
<b>Total †</b>	<b>7,688</b>	<b>116</b>	<b>2,353</b>	<b>59</b>	<b>2,882</b>	<b>63</b>	<b>2,118</b>	<b>49</b>	<b>335</b>

† Estimates may not add to the total because of rounding.

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.7 National estimates of **household youth** less than 20 years of age on Black farms by age, sex, and type of farm, 2000

<10 years							
Type of Farm	Total †		Male		Female		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
<b>All crop</b>	<b>802</b>	<b>36</b>	<b>402</b>	<b>22</b>	<b>400</b>	<b>23</b>	<b>0</b>
Grain and oil seed	284	22	152	14	132	14	0
Tobacco	136	15	63	9	73	10	0
Cotton	55	9	36	6	20	5	0
Vegetable and melon	94	11	42	7	51	8	0
Fruit, nut, and berry	41	9	16	5	25	6	0
All other crop*	193		94		99		0
<b>All livestock</b>	<b>1,506</b>	<b>47</b>	<b>784</b>	<b>31</b>	<b>722</b>	<b>30</b>	<b>0</b>
Beef	1,254	43	653	29	601	27	0
Hog	105	14	58	10	47	8	0
Sheep and goat	20	6	***		***		0
Equine	58	9	25	5	33	7	0
Poultry and egg	43	8	20	4	23	6	0
All other livestock**	26		***		***		0
<b>Unknown</b>	<b>44</b>		<b>19</b>		<b>25</b>		<b>0</b>
<b>Total †</b>	<b>2,353</b>	<b>59</b>	<b>1,206</b>	<b>38</b>	<b>1,147</b>	<b>38</b>	<b>0</b>
10-15 years							
Type of Farm	Total †		Male		Female		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
<b>All crop</b>	<b>931</b>	<b>37</b>	<b>502</b>	<b>26</b>	<b>429</b>	<b>23</b>	<b>0</b>
Grain and oil seed	339	23	193	17	147	14	0
Tobacco	152	15	86	11	66	9	0
Cotton	51	8	28	6	23	5	0
Vegetable and melon	165	16	81	10	83	10	0
Fruit, nut, and berry	67	11	45	8	23	6	0
All other crop*	158		69		89		0
<b>All livestock</b>	<b>1,861</b>	<b>52</b>	<b>971</b>	<b>34</b>	<b>888</b>	<b>33</b>	<b>2</b>
Beef	1,556	46	794	30	760	30	2
Hog	102	15	63	9	38	10	0
Sheep and goat	38	8	19	5	19	5	0
Equine	68	11	47	9	21	5	0
Poultry and egg	39	8	21	6	18	4	0
All other livestock**	59		27		32		0
<b>Unknown</b>	<b>90</b>		<b>43</b>		<b>48</b>		<b>0</b>
<b>Total †</b>	<b>2,882</b>	<b>63</b>	<b>1,515</b>	<b>42</b>	<b>1,365</b>	<b>40</b>	<b>2</b>

Continued

Table 3.7 National estimates of **household youth** less than 20 years of age on Black farms by age, sex, and type of farm, 2000 (Continued)

Type of Farm	16-19 years						
	Total †		Male		Female		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
<b>All crop</b>	<b>707</b>	<b>30</b>	<b>353</b>	<b>20</b>	<b>353</b>	<b>20</b>	<b>0</b>
Grain and oil seed	294	20	144	13	150	14	0
Tobacco	85	9	33	5	52	7	0
Cotton	38	7	24	5	13	3	0
Vegetable and melon	117	12	61	8	57	8	0
Fruit, nut, and berry	31	7	15	5	16	5	0
All other crop*	142		76		66		0
<b>All livestock</b>	<b>1,328</b>	<b>40</b>	<b>736</b>	<b>28</b>	<b>592</b>	<b>26</b>	<b>0</b>
Beef	1,128	36	627	26	501	23	0
Hog	49	7	28	5	21	5	0
Sheep and goat	27	6	***		***		0
Equine	77	12	51	10	26	7	0
Poultry and egg	31	6	13	3	18	5	0
All other livestock**	16		***		***		0
<b>Unknown</b>	<b>83</b>		<b>61</b>		<b>22</b>		<b>0</b>
<b>Total †</b>	<b>2,118</b>	<b>49</b>	<b>1,151</b>	<b>35</b>	<b>967</b>	<b>32</b>	<b>0</b>

† Estimates may not add to the total because of rounding.

\* All other crop includes "Nursery and floriculture" and "Other crop" farms.

\*\* All other livestock includes "Dairy," "Aquaculture," and "Other livestock" farms.

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.8 National estimates of **household youth** less than 20 years of age on Black farms by work status and sex, 2000

Sex	Total †		Working		Non-Working		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
Male	3,903	72	1,919	50	1,965	50	19
Female	3,492	70	941	37	2,540	58	12
Unknown	293		5		9		279
<b>Total †</b>	<b>7,688</b>	<b>116</b>	<b>2,864</b>	<b>68</b>	<b>4,514</b>	<b>85</b>	<b>310</b>

† Estimates may not add to the total because of rounding.

Table 3.9 National estimates of **household youth** less than 20 years of age on Black farms by work status and age, 2000

Age	Total †		Working		Non-Working		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
<b>&lt;10 years</b>	<b>2,353</b>	<b>59</b>	<b>296</b>	<b>20</b>	<b>2,053</b>	<b>55</b>	<b>3</b>
<b>10-15 years</b>	<b>2,882</b>	<b>63</b>	<b>1,388</b>	<b>44</b>	<b>1,487</b>	<b>45</b>	<b>7</b>
10-11 years	895	31	382	21	513	23	0
12-13 years	937	31	457	22	473	22	7
14-15 years	1,050	32	549	24	502	22	0
<b>16-19 years</b>	<b>2,118</b>	<b>49</b>	<b>1,162</b>	<b>38</b>	<b>949</b>	<b>32</b>	<b>7</b>
16-17 years	1,149	34	655	26	494	22	0
18-19 years	969	32	507	23	455	21	7
<b>Unknown</b>	<b>335</b>		<b>18</b>		<b>25</b>		<b>293</b>
<b>Total †</b>	<b>7,688</b>	<b>116</b>	<b>2,864</b>	<b>68</b>	<b>4,514</b>	<b>85</b>	<b>310</b>

† Estimates may not add to the total because of rounding.

Table 3.10 National estimates of **household youth** less than 20 years of age on Black farms by age, work status, and sex, 2000

<10 years							
Sex	Total †		Working		Non-Working		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
Male	1,206	38	184	15	1,018	35	3
Female	1,147	38	112	11	1,035	36	0
<b>Total †</b>	<b>2,353</b>	<b>59</b>	<b>296</b>	<b>20</b>	<b>2,053</b>	<b>55</b>	<b>3</b>
10-15 years							
Sex	Total †		Working		Non-Working		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
Male	1,515	42	909	33	604	27	2
Female	1,365	40	479	24	881	32	5
Unknown	2		0		2		0
<b>Total †</b>	<b>2,882</b>	<b>63</b>	<b>1,388</b>	<b>44</b>	<b>1,487</b>	<b>45</b>	<b>7</b>
16-19 years							
Sex	Total †		Working		Non-Working		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
Male	1,151	35	814	30	332	19	5
Female	967	32	348	21	617	25	2
<b>Total †</b>	<b>2,118</b>	<b>49</b>	<b>1,162</b>	<b>38</b>	<b>949</b>	<b>32</b>	<b>7</b>

† Estimates may not add to the total because of rounding.

Table 3.11 National estimates of **household youth** less than 20 years of age on Black farms by whether they rode a horse and sex, 2000

Sex	Total †		Rode a Horse: Yes		Rode a Horse: No		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
Male	3,903	72	907	35	2,966	63	30
Female	3,492	70	647	31	2,834	63	12
Unknown	293		2		11		279
<b>Total †</b>	<b>7,688</b>	<b>116</b>	<b>1,556</b>	<b>52</b>	<b>5,811</b>	<b>101</b>	<b>320</b>

† Estimates may not add to the total because of rounding.

Table 3.12 National estimates of **household youth** less than 20 years of age on Black farms by whether they rode a horse and age, 2000

Age	Total †		Rode a Horse: Yes		Rode a Horse: No		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
<b>&lt;10 years</b>	<b>2,353</b>	<b>59</b>	<b>379</b>	<b>23</b>	<b>1,971</b>	<b>54</b>	<b>3</b>
<b>10-15 years</b>	<b>2,882</b>	<b>63</b>	<b>699</b>	<b>31</b>	<b>2,172</b>	<b>54</b>	<b>11</b>
10-11 years	895	31	200	15	695	28	0
12-13 years	937	31	228	15	700	27	9
14-15 years	1,050	32	271	17	777	28	2
<b>16-19 years</b>	<b>2,118</b>	<b>49</b>	<b>472</b>	<b>24</b>	<b>1,630</b>	<b>43</b>	<b>16</b>
16-17 years	1,149	34	265	17	880	30	4
18-19 years	969	32	208	16	750	28	11
<b>Unknown</b>	<b>335</b>		<b>7</b>		<b>38</b>		<b>290</b>
<b>Total †</b>	<b>7,688</b>	<b>116</b>	<b>1,556</b>	<b>52</b>	<b>5,811</b>	<b>101</b>	<b>321</b>

† Estimates may not add to the total because of rounding.

Table 3.13 National estimates of **household youth** less than 20 years of age on Black farms by age, whether they rode a horse, and sex, 2000

<10 years							
Sex	Total †		Rode a Horse: Yes		Rode a Horse: No		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
Male	1,206	38	211	16	991	34	3
Female	1,147	38	167	14	980	35	0
<b>Total †</b>	<b>2,353</b>	<b>59</b>	<b>379</b>	<b>23</b>	<b>1,971</b>	<b>54</b>	<b>3</b>
10-15 years							
Sex	Total †		Rode a Horse: Yes		Rode a Horse: No		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
Male	1,515	42	394	22	1,117	36	4
Female	1,365	40	305	19	1,053	35	7
Unknown	2		0		2		0
<b>Total †</b>	<b>2,882</b>	<b>63</b>	<b>699</b>	<b>31</b>	<b>2,172</b>	<b>54</b>	<b>11</b>
16-19 years							
Sex	Total †		Rode a Horse: Yes		Rode a Horse: No		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
Male	1,151	35	299	18	840	30	11
Female	967	32	173	15	790	29	5
<b>Total †</b>	<b>2,118</b>	<b>49</b>	<b>472</b>	<b>24</b>	<b>1,630</b>	<b>43</b>	<b>16</b>

† Estimates may not add to the total because of rounding.

Table 3.14 National estimates of **household youth** less than 20 years of age on Black farms by whether they drove an all-terrain vehicle (ATV) and sex, 2000

Sex	Total †		Drove an ATV: Yes		Drove an ATV: No		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
Male	3,903	72	999	36	2,536	58	368
Female	3,492	70	603	29	2,549	59	340
Unknown	293		0		2		291
<b>Total †</b>	<b>7,688</b>	<b>116</b>	<b>1,602</b>	<b>51</b>	<b>5,087</b>	<b>93</b>	<b>999</b>

† Estimates may not add to the total because of rounding.

Table 3.15 National estimates of **household youth** less than 20 years of age on Black farms by whether they drove an all-terrain vehicle (ATV) and age, 2000

Age	Total †		Drove an ATV: Yes		Drove an ATV: No		Unknown
	Estimate	se	Estimate	se	Estimate	se	
<b>&lt;10 years</b>	<b>2,353</b>	<b>59</b>	<b>177</b>	<b>15</b>	<b>1,537</b>	<b>44</b>	<b>639</b>
<b>10-15 years</b>	<b>2,882</b>	<b>63</b>	<b>760</b>	<b>31</b>	<b>2,115</b>	<b>55</b>	<b>7</b>
10-11 years	895	31	214	15	682	28	0
12-13 years	937	31	206	14	725	28	7
14-15 years	1,050	32	341	19	709	27	0
<b>16-19 years</b>	<b>2,118</b>	<b>49</b>	<b>665</b>	<b>29</b>	<b>1,435</b>	<b>40</b>	<b>18</b>
16-17 years	1,149	34	360	20	782	28	7
18-19 years	969	32	305	18	653	26	11
<b>Unknown</b>	<b>335</b>		<b>0</b>		<b>0</b>		<b>335</b>
<b>Total †</b>	<b>7,688</b>	<b>116</b>	<b>1,602</b>	<b>51</b>	<b>5,087</b>	<b>93</b>	<b>999</b>

† Estimates may not add to the total because of rounding.

Table 3.16 National estimates of **household youth** less than 20 years of age on Black farms by age, whether they drove an all-terrain vehicle (ATV), and sex, 2000

<10 years							
Sex	Total †		Drove an ATV: Yes		Drove an ATV: No		Unknown
	Estimate	se	Estimate	se	Estimate	se	
Male	1,206	38	104	11	779	30	324
Female	1,147	38	73	9	758	29	316
<b>Total †</b>	<b>2,353</b>	<b>59</b>	<b>177</b>	<b>15</b>	<b>1,537</b>	<b>44</b>	<b>639</b>
10-15 years							
Sex	Total †		Drove an ATV: Yes		Drove an ATV: No		Unknown
	Estimate	se	Estimate	se	Estimate	se	
Male	1,515	42	448	23	1,065	36	2
Female	1,365	40	312	19	1,048	35	5
Unknown	2		0		2		0
<b>Total †</b>	<b>2,882</b>	<b>63</b>	<b>760</b>	<b>31</b>	<b>2,115</b>	<b>55</b>	<b>7</b>
16-19 years							
Sex	Total †		Drove an ATV: Yes		Drove an ATV: No		Unknown
	Estimate	se	Estimate	se	Estimate	se	
Male	1,151	35	447	22	692	27	11
Female	967	32	218	16	743	28	7
<b>Total †</b>	<b>2,118</b>	<b>49</b>	<b>665</b>	<b>29</b>	<b>1,435</b>	<b>40</b>	<b>18</b>

† Estimates may not add to the total because of rounding.

Table 3.17 National estimates of **household youth** less than 20 years of age on Black farms by whether they drove a tractor and sex, 2000

Sex	Total †		Drove a Tractor: Yes		Drove a Tractor: No		Unknown
	Estimate	se	Estimate	se	Estimate	se	
Male	3,903	72	1,433	41	2,100	54	370
Female	3,492	70	480	26	2,670	59	342
Unknown	293		0		2		291
<b>Total †</b>	<b>7,688</b>	<b>116</b>	<b>1,913</b>	<b>50</b>	<b>4,772</b>	<b>87</b>	<b>1,003</b>

† Estimates may not add to the total because of rounding.

Table 3.18 National estimates of **household youth** less than 20 years of age on Black farms by whether they drove a tractor and age, 2000

Age	Total †		Drove a Tractor: Yes		Drove a Tractor: No		Unknown
	Estimate	se	Estimate	se	Estimate	se	
<b>&lt;10 years</b>	<b>2,353</b>	<b>59</b>	<b>119</b>	<b>12</b>	<b>1,594</b>	<b>45</b>	<b>639</b>
<b>10-15 years</b>	<b>2,882</b>	<b>63</b>	<b>894</b>	<b>32</b>	<b>1,979</b>	<b>52</b>	<b>9</b>
10-11 years	895	31	194	14	701	28	0
12-13 years	937	31	271	16	660	26	7
14-15 years	1,050	32	429	21	619	25	2
<b>16-19 years</b>	<b>2,118</b>	<b>49</b>	<b>900</b>	<b>32</b>	<b>1,198</b>	<b>36</b>	<b>20</b>
16-17 years	1,149	34	470	22	674	26	4
18-19 years	969	32	429	22	525	23	15
<b>Unknown</b>	<b>335</b>		<b>0</b>		<b>0</b>		<b>335</b>
<b>Total †</b>	<b>7,688</b>	<b>116</b>	<b>1,913</b>	<b>50</b>	<b>4,772</b>	<b>87</b>	<b>1,003</b>

† Estimates may not add to the total because of rounding.

Table 3.19 National estimates of **household youth** less than 20 years of age on Black farms by age, whether they drove a tractor, and sex, 2000

<10 years							
Sex	Total †		Drove a Tractor: Yes		Drove a Tractor: No		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
Male	1,206	38	79	9	804	31	324
Female	1,147	38	41	7	790	29	316
<b>Total †</b>	<b>2,353</b>	<b>59</b>	<b>119</b>	<b>12</b>	<b>1,594</b>	<b>45</b>	<b>639</b>
10-15 years							
Sex	Total †		Drove a Tractor: Yes		Drove a Tractor: No		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
Male	1,515	42	654	26	857	33	4
Female	1,365	40	240	16	1,121	36	5
Unknown	2		0		2		0
<b>Total †</b>	<b>2,882</b>	<b>63</b>	<b>894</b>	<b>32</b>	<b>1,979</b>	<b>52</b>	<b>9</b>
16-19 years							
Sex	Total †		Drove a Tractor: Yes		Drove a Tractor: No		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
Male	1,151	35	700	27	440	21	11
Female	967	32	200	16	759	28	9
<b>Total †</b>	<b>2,118</b>	<b>49</b>	<b>900</b>	<b>32</b>	<b>1,198</b>	<b>36</b>	<b>20</b>

† Estimates may not add to the total because of rounding.

Table 3.20 National estimates of **injuries to all youth** less than 20 years of age on Black farms by sex and relationship to the farm, 2000

Relationship to Farm	Total †		Male		Female	
	Estimate	se	Estimate	se	Estimate	se
<b>Household youth</b>	<b>49</b>	<b>9</b>	<b>33</b>	<b>7</b>	<b>16</b>	<b>6</b>
<b>Hired youth</b>	***		***		***	
<b>Visiting youth</b>	***		***		***	
Relatives	43	8	31	7	12	3
Non-relatives	***		***		***	
<b>Total †</b>	<b>102</b>	<b>13</b>	<b>75</b>	<b>11</b>	<b>27</b>	<b>7</b>

† Estimates may not add to the total because of rounding.

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.21 National estimates of **injuries to all youth** less than 20 years of age on Black farms by age and relationship to the farm, 2000

Relationship to Farm	Total †		<10 years		10-19 years	
	Estimate	se	Estimate	se	Estimate	se
<b>Household youth</b>	<b>49</b>	<b>9</b>	<b>17</b>	<b>6</b>	<b>32</b>	
<b>Hired youth</b>	***		***		***	
<b>Visiting youth</b>	***		***		***	
Relatives	43	8	25	6	18	
Non-relatives	***		***		***	
<b>Total †</b>	<b>102</b>	<b>13</b>	<b>42</b>	<b>9</b>	<b>60</b>	

† Estimates may not add to the total because of rounding.

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.22 National estimates of **injuries to all youth** less than 20 years of age on Black farms by work status and relationship to the farm, 2000

Relationship to Farm	Total †		Working		Non-Working	
	Estimate	se	Estimate	se	Estimate	se
<b>Household youth</b>	<b>49</b>	<b>9</b>	<b>22</b>	<b>6</b>	<b>27</b>	<b>7</b>
<b>Hired youth</b>	***		***		***	
<b>Visiting youth</b>	***		***		***	
Relatives	43	8	16	5	27	5
Non-relatives	***		***		***	
<b>Total †</b>	<b>102</b>	<b>13</b>	<b>43</b>	<b>9</b>	<b>59</b>	<b>9</b>

† Estimates may not add to the total because of rounding.

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.23 National estimates of **injuries to all youth** less than 20 years of age on Black farms by sex and race, 2000

Race	Total †		Male		Female	
	Estimate	se	Estimate	se	Estimate	se
White	14	4	***		***	
Black	76	11	53	8	22	7
All other races*	13		***		***	
<b>Total †</b>	<b>102</b>	<b>13</b>	<b>75</b>	<b>11</b>	<b>27</b>	<b>7</b>

† Estimates may not add to the total because of rounding.

\* All other races includes "Native American," "Asian," and "Other Races."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.24 National estimates of **injuries to all youth** less than 20 years of age on Black farms by age and race, 2000

Race	Total †		< 10 years		10-19 years	
	Estimate	se	Estimate	se	Estimate	se
White	14	4	***		***	
Black	76	11	28	7	47	
All other races*	13		***		***	
<b>Total †</b>	<b>102</b>	<b>13</b>	<b>42</b>	<b>9</b>	<b>60</b>	

† Estimates may not add to the total because of rounding.

\* All other races includes "Native American," "Asian," and "Other Races."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.25 National estimates of **injuries to all youth** less than 20 years of age on Black farms by work status and race, 2000

Race	Total †		Working		Non-Working	
	Estimate	se	Estimate	se	Estimate	se
Black	76	11	27	6	49	9
All other races*	27		16		10	
<b>Total †</b>	<b>102</b>	<b>13</b>	<b>43</b>	<b>9</b>	<b>59</b>	<b>9</b>

† Estimates may not add to the total because of rounding.

\* All other races includes "White," "Native American," "Asian," and "Other races."

Table 3.26 National estimates of **injuries to all youth** less than 20 years of age on Black farms by sex and age, 2000

Age	Total †		Male		Female	
	Estimate	se	Estimate	se	Estimate	se
<b>&lt; 10 years</b>	<b>42</b>	<b>9</b>	<b>29</b>	<b>6</b>	<b>13</b>	<b>6</b>
<b>10-15 years</b>	<b>46</b>	<b>8</b>	<b>39</b>	<b>7</b>	<b>7</b>	<b>3</b>
10-11 years	14	4	***		***	
12-13 years	15	4	***		***	
14-15 years	17	5	***		***	
<b>16-19 years</b>	<b>15</b>	<b>4</b>	<b>8</b>	<b>3</b>	<b>7</b>	<b>3</b>
<b>Total †</b>	<b>102</b>	<b>13</b>	<b>75</b>	<b>11</b>	<b>27</b>	<b>7</b>

† Estimates may not add to the total because of rounding.

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.27 National estimates of **injuries to all youth** less than 20 years of age on Black farms by work status and age, 2000

Age	Total †		Working		Non-Working	
	Estimate	se	Estimate	se	Estimate	se
<b>&lt; 10 years</b>	<b>42</b>	<b>9</b>	***		***	
<b>10-15 years</b>	<b>46</b>	<b>8</b>	<b>22</b>	<b>6</b>	<b>24</b>	<b>5</b>
10-11 years	14	4	***		***	
12-13 years	15	4	***		***	
14-15 years	17	5	***		***	
<b>16-19 years</b>	<b>15</b>	<b>4</b>	***		***	
<b>Total †</b>	<b>102</b>	<b>13</b>	<b>43</b>	<b>9</b>	<b>59</b>	<b>9</b>

† Estimates may not add to the total because of rounding.

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.28 National estimates of **injuries to all youth** less than 20 years of age on Black farms by sex and type of farm, 2000

Type of Farm	Total †		Male		Female	
	Estimate	se	Estimate	se	Estimate	se
<b>All crop</b>	<b>36</b>	<b>8</b>	<b>21</b>	<b>5</b>	<b>16</b>	<b>6</b>
Grain and oil seed	19	7	***		***	
All other crop*	17		***		***	
<b>All livestock</b>	<b>66</b>	<b>10</b>	<b>55</b>	<b>9</b>	<b>12</b>	<b>4</b>
Beef	49	9	***		***	
All other livestock**	17		***		***	
<b>Total †</b>	<b>102</b>	<b>13</b>	<b>75</b>	<b>11</b>	<b>27</b>	<b>7</b>

† Estimates may not add to the total because of rounding.

\* All other crop includes "Tobacco," "Cotton," "Vegetable and melon," "Fruit, nut, and berry," "Nursery and floriculture," and "Other crop" farms.

\*\* All other livestock includes "Dairy," "Hog," "Sheep and goat," "Equine," "Poultry and egg," "Aquaculture," and "Other livestock" farms.

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.29 National estimates of **injuries to all youth** less than 20 years of age on Black farms by age and type of farm, 2000

Type of Farm	Total †		<10 years		10-15 years		16-19 years	
	Estimate	se	Estimate	se	Estimate	se	Estimate	se
All crop	36	8	***		13	4	***	
All livestock	66	10	***		33	7	***	
<b>Total †</b>	<b>102</b>	<b>13</b>	<b>42</b>	<b>9</b>	<b>46</b>	<b>8</b>	<b>15</b>	<b>4</b>

† Estimates may not add to the total because of rounding.

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.30 National estimates of **injuries to all youth** less than 20 years of age on Black farms by work status and type of farm, 2000

Type of Farm	Total †		Working		Non-Working	
	Estimate	se	Estimate	se	Estimate	se
All crop	36	8	11	4	25	7
All livestock	66	10	32	8	34	6
<b>Total †</b>	<b>102</b>	<b>13</b>	<b>43</b>	<b>9</b>	<b>59</b>	<b>9</b>

† Estimates may not add to the total because of rounding.

Table 3.31 National estimates of **injuries to all youth** less than 20 years of age on Black farms by sex and type of injury, 2000

Type of Injury	Total †		Male		Female	
	Estimate	se	Estimate	se	Estimate	se
Bruise, contusion	8	3	8	3	0	
Sprain, strain	9	4	0		9	4
Broken bone, fracture	15	4	***		***	
Cut, laceration	34	8	25	6	9	5
Puncture, stab, jab	12	4	***		***	
All other injuries*	24		***		***	
Unknown	2		2		0	
<b>Total †</b>	<b>102</b>	<b>13</b>	<b>75</b>	<b>11</b>	<b>27</b>	<b>7</b>

† Estimates may not add to the total because of rounding.

\* All other injuries includes "Scrape, abrasion," "Dislocation," "Traumatic rupture," "Crushed," "Amputation," "Nerve injury," "Burn, blister, scald," "Multiple injuries," and "Other injury."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.32 National estimates of **injuries to all youth** less than 20 years of age on Black farms by age and type of injury, 2000

Type of Injury	Total †		< 10 years		10-15 years		16-19 years	
	Estimate	se	Estimate	se	Estimate	se	Estimate	se
Bruise, contusion	8	3	***		***		***	
Sprain, strain	9	4	***		***		***	
Broken bone, fracture	15	4	***		***		***	
Cut, laceration	34	8	27	8	***		***	
Puncture, stab, jab	12	4	***		***		***	
All other injuries*	24		***		***		***	
Unknown	2		0		2		0	
<b>Total †</b>	<b>102</b>	<b>13</b>	<b>42</b>	<b>9</b>	<b>46</b>	<b>8</b>	<b>15</b>	<b>4</b>

† Estimates may not add to the total because of rounding.

\* All other injuries includes "Scrape, abrasion," "Dislocation," "Traumatic rupture," "Crushed," "Amputation," "Nerve injury," "Burn, blister, scald," "Multiple injuries," and "Other injury."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.33 National estimates of **injuries to all youth** less than 20 years of age on Black farms by work status and type of injury, 2000

Type of Injury	Total †		Working		Non-Working	
	Estimate	se	Estimate	se	Estimate	se
Bruise, contusion	8	3	***		***	
Sprain, strain	9	4	***		***	
Broken bone, fracture	15	4	***		***	
Cut, laceration	34	8	16	6	18	6
Puncture, stab, jab	12	4	***		***	
All other injuries*	24		12		12	
Unknown	2		0		2	
<b>Total †</b>	<b>102</b>	<b>13</b>	<b>43</b>	<b>9</b>	<b>59</b>	<b>9</b>

† Estimates may not add to the total because of rounding.

\* All other injuries includes "Scrape, abrasion," "Dislocation," "Traumatic rupture," "Crushed," "Amputation," "Nerve injury," "Burn, blister, scald," "Multiple injuries," and "Other injury."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.34 National estimates of **injuries to all youth** less than 20 years of age on Black farms by sex and body part injured, 2000

Body Part Injured	Total †		Male		Female	
	Estimate	se	Estimate	se	Estimate	se
Head, skull	9	3	9	3	0	
Face	17	5	***		***	
Arm	19	4	***		***	
Hand, wrist, fingers	13	4	***		***	
Leg	19	6	10	5	9	4
Foot, ankle, toes	14	4	***		***	
All other body parts*	12		12		0	
Total †	102	13	75	11	27	7

† Estimates may not add to the total because of rounding.

\* All other body parts includes "Neck," "Shoulder, chest, back," "Abdomen," "Pelvic region," "Internal injury," "Multiple body parts," and "Other body parts."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.35 National estimates of **injuries to all youth** less than 20 years of age on Black farms by age and body part injured, 2000

Body Part Injured	Total †		< 10 years		10-15 years		16-19 years	
	Estimate	se	Estimate	se	Estimate	se	Estimate	se
Head, skull	9	3	***		***		0	
Face	17	5	***		***		0	
Arm	19	4	12	3	***		***	
Hand, wrist, fingers	13	4	***		***		***	
Leg	19	6	***		***		***	
Foot, ankle, toes	14	4	***		***		***	
All other body parts*	12		0		12		0	
Total †	102	13	42	9	46	8	15	4

† Estimates may not add to the total because of rounding.

\* All other body parts includes "Neck," "Shoulder, chest, back," "Abdomen," "Pelvic region," "Internal injury," "Multiple body parts," and "Other body parts."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.36 National estimates of **injuries to all youth** less than 20 years of age on Black farms by work status and body part injured, 2000

Body Part Injured	Total †		Working		Non-Working	
	Estimate	se	Estimate	se	Estimate	se
Head, skull	9	3	***		***	
Face	17	5	***		***	
Arm	19	4	***		***	
Hand, wrist, fingers	13	4	***		***	
Leg	19	6	12	5	7	4
Foot, ankle, toes	14	4	8	3	6	3
All other body parts*	12		***		***	
<b>Total †</b>	<b>102</b>	<b>13</b>	<b>43</b>	<b>9</b>	<b>59</b>	<b>9</b>

† Estimates may not add to the total because of rounding.

\* All other body parts includes "Neck," "Shoulder, chest, back," "Abdomen," "Pelvic region," "Internal injury," "Multiple body parts," and "Other body parts."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.37 National estimates of **injuries to all youth** less than 20 years of age on Black farms by sex and source of injury, 2000

Source of Injury ‡	Total †		Male		Female	
	Estimate	se	Estimate	se	Estimate	se
<b>Parts/Materials (4)</b>	<b>12</b>	<b>4</b>	<b>12</b>	<b>4</b>	<b>0</b>	
<b>Persons/Animals/Plants/Minerals (5)</b>	<b>19</b>	<b>5</b>	***		***	
<b>Structures and Surfaces (6)</b>	<b>26</b>	<b>6</b>	***		***	
Floors/Walkways/Ground (62)	21	5	***		***	
Ground (623)	16	4	***		***	
<b>Tools/Instruments/Equipment (7)</b>	<b>11</b>	<b>3</b>	<b>11</b>	<b>3</b>	<b>0</b>	
Recreation Equipment (78)	7	2	7	2	0	
<b>Other and Unknown Sources*</b>	<b>35</b>		<b>17</b>		<b>18</b>	
<b>Total †</b>	<b>102</b>	<b>13</b>	<b>75</b>	<b>11</b>	<b>27</b>	<b>7</b>

† Estimates may not add to the total because of rounding.

‡ Categories based on the Bureau of Labor Statistics Occupational Injury and Illness Coding Structure (OIICS). OIICS codes are provided in parentheses.

\* Other and Unknown Sources includes "Chemicals," "Containers," "Furniture and Fixtures," "Machinery," "Vehicles," "Other Sources," and "Unknown Sources."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.38 National estimates of **injuries to all youth** less than 20 years of age on Black farms by age and source of injury, 2000

Source of Injury †	Total †		<10 years		10-15 years		16-19 years	
	Estimate	se	Estimate	se	Estimate	se	Estimate	se
<b>Parts/Materials (4)</b>	<b>12</b>	<b>4</b>	***		***		***	
<b>Persons/Animals/Plants/Minerals (5)</b>	<b>19</b>	<b>5</b>	***		<b>10</b>	<b>4</b>	***	
Animals (51)	14	4	***		8	3	***	
<b>Structures and Surfaces (6)</b>	<b>26</b>	<b>6</b>	<b>9</b>	<b>3</b>	<b>17</b>	<b>5</b>	<b>0</b>	
Floors/Walkways/Ground (62)	21	5	9	3	12	4	0	
Ground (623)	16	4	***		12	4	***	
<b>Tools/Instruments/Equipment (7)</b>	<b>11</b>	<b>3</b>	<b>7</b>	<b>3</b>	***		***	
Recreation Equipment (78)	7	2	***		***		0	
<b>Other and Unknown Sources*</b>	<b>35</b>		<b>16</b>		<b>12</b>		<b>7</b>	
<b>Total †</b>	<b>102</b>	<b>13</b>	<b>42</b>	<b>9</b>	<b>46</b>	<b>8</b>	<b>15</b>	<b>4</b>

† Estimates may not add to the total because of rounding.

‡ Categories based on the Bureau of Labor Statistics Occupational Injury and Illness Coding Structure (OIICS). OIICS codes are provided in parentheses.

\* Other and Unknown Sources includes "Chemicals," "Containers," "Furniture and Fixtures," "Machinery," "Vehicles," "Other Sources," and "Unknown Sources."

\*\*\* Estimate is not reportable or suppressed because of a non-reportable cell.

Table 3.39 National estimates of **injuries to all youth** less than 20 years of age on Black farms by work status and source of injury, 2000

Source of Injury †	Total †		Working		Non-Working	
	Estimate	se	Estimate	se	Estimate	se
<b>Parts/Materials (4)</b>	<b>12</b>	<b>4</b>	<b>12</b>	<b>4</b>	<b>0</b>	
<b>Persons/Animals/Plants/Minerals (5)</b>	<b>19</b>	<b>5</b>	<b>7</b>	<b>3</b>	<b>12</b>	<b>4</b>
Animals (51)	14	4	***		***	
<b>Structures and Surfaces (6)</b>	<b>26</b>	<b>6</b>	<b>12</b>	<b>4</b>	<b>14</b>	<b>4</b>
Floors/Walkways/Ground (62)	21	5	10	3	11	3
Ground (623)	16	4	10	3	7	3
<b>Tools/Instruments/Equipment (7)</b>	<b>11</b>	<b>3</b>	***		***	
Recreation Equipment (78)	7	2	0		7	2
<b>Other and Unknown Sources*</b>	<b>35</b>		***		***	
<b>Total †</b>	<b>102</b>	<b>13</b>	<b>43</b>	<b>9</b>	<b>59</b>	<b>9</b>

† Estimates may not add to the total because of rounding.

‡ Categories based on the Bureau of Labor Statistics Occupational Injury and Illness Coding Structure (OIICS). OIICS codes are provided in parentheses.

\* Other and Unknown Sources includes "Chemicals," "Containers," "Furniture and Fixtures," "Machinery," "Vehicles," "Other Sources," and "Unknown Sources."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.40 National estimates of **injuries to all youth** less than 20 years of age on Black farms by sex and type of injury event, 2000

Type of Injury Event ‡	Total †		Male		Female	
	Estimate	se	Estimate	se	Estimate	se
<b>Contact With Objects (0)</b>	<b>33</b>	<b>6</b>	<b>25</b>	<b>5</b>	<b>8</b>	<b>3</b>
Contact With Object Unspecified (00)	7	3	7	3	0	
Struck Against Object (01)	11	4	***		***	
<i>Against Stationary Object (012)</i>	8	3	***		***	
Struck by Object (02)	11	4	***		***	
<b>Falls (1)</b>	<b>31</b>	<b>6</b>	<b>***</b>		<b>***</b>	
Fall to Lower Level (11)	18	4	***		***	
<i>Fall to Lower Level n.e.c.* (119)</i>	18	4	***		***	
Fall on Same Level (13)	10	4	***		***	
<b>Exposure to Substances/Environments (3)</b>	<b>9</b>	<b>3</b>	<b>9</b>	<b>3</b>	<b>0</b>	
Exposure Caustic/Allergenic Substance (34)	7	3	7	3	0	
<b>Assaults and Violent Acts (6)</b>	<b>12</b>	<b>4</b>	<b>***</b>		<b>***</b>	
Assault by Animal (63)	12	4	***		***	
<i>Assault by Animal n.e.c.* (639)</i>	7	3	***		***	
<b>Other and Unknown Events**</b>	<b>18</b>		<b>9</b>		<b>9</b>	
<b>Total †</b>	<b>102</b>	<b>13</b>	<b>75</b>	<b>11</b>	<b>27</b>	<b>7</b>

† Estimates may not add to the total because of rounding.

‡ Categories based on the Bureau of Labor Statistics Occupational Injury and Illness Coding Structure (OIICS). OIICS codes are provided in parentheses.

\* "n.e.c." is an abbreviation for "not elsewhere classified."

\*\* Other and Unknown Events includes "Bodily Reaction/Exertion," "Transportation Events," "Fires and Explosions," "Other Events," and "Unknown Events."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.41 National estimates of **injuries to all youth** less than 20 years of age on Black farms by age and type of injury event, 2000

Type of Injury Event ‡	Total †		<10 years		10-15 years		16-19 years	
	Estimate	se	Estimate	se	Estimate	se	Estimate	se
<b>Contact With Objects (0)</b>	<b>33</b>	<b>6</b>	<b>11</b>	<b>4</b>	<b>14</b>	<b>4</b>	<b>8</b>	<b>3</b>
Contact With Object Unspecified (00)	7	3	0		***		***	
Struck Against Object (01)	11	4	***		7	3	***	
<i>Against Stationary Object (012)</i>	8	3	***		***		***	
Struck by Object (02)	11	4	8	3	***		***	
<b>Falls (1)</b>	<b>31</b>	<b>6</b>	<b>17</b>	<b>4</b>	<b>14</b>	<b>4</b>	<b>0</b>	
Fall to Lower Level (11)	18	4	11	3	7	3	0	
<i>Fall to Lower Level n.e.c.* (119)</i>	18	4	11	3	7	3	0	
Fall on Same Level (13)	10	4	***		***		***	
<b>Exposure to Substances/Environments (3)</b>	<b>9</b>	<b>3</b>	***		<b>7</b>	<b>3</b>	***	
Exposure Caustic/Allergenic Substance (34)	7	3	***		***		***	
<b>Assaults and Violent Acts (6)</b>	<b>12</b>	<b>4</b>	***		***		***	
Assault by Animal (63)	12	4	***		***		***	
<i>Assault by Animal n.e.c.* (639)</i>	7	3	***		***		***	
<b>Other and Unknown Events**</b>	<b>18</b>		<b>8</b>		***		***	
<b>Total †</b>	<b>102</b>	<b>13</b>	<b>42</b>	<b>9</b>	<b>46</b>	<b>8</b>	<b>15</b>	<b>4</b>

† Estimates may not add to the total because of rounding.

‡ Categories based on the Bureau of Labor Statistics Occupational Injury and Illness Coding Structure (OIICS). OIICS codes are provided in parentheses.

\* "n.e.c." is an abbreviation for "not elsewhere classified."

\*\* Other and Unknown Events includes "Bodily Reaction/Exertion," "Transportation Events," "Fires and Explosions," "Other Events," and "Unknown Events."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.42 National estimates of **injuries to all youth** less than 20 years of age on Black farms by work status and type of injury event, 2000

Type of Injury Event ‡	Total †		Working		Non-Working	
	Estimate	se	Estimate	se	Estimate	se
<b>Contact With Objects (0)</b>	<b>33</b>	<b>6</b>	<b>16</b>	<b>5</b>	<b>17</b>	<b>4</b>
Contact With Object Unspecified (00)	7	3	***		***	
Struck Against Object (01)	11	4	***		***	
<i>Against Stationary Object (012)</i>	8	3	***		***	
Struck by Object (02)	11	4	***		***	
<b>Falls (1)</b>	<b>31</b>	<b>6</b>	<b>10</b>	<b>3</b>	<b>21</b>	<b>5</b>
Fall to Lower Level (11)	18	4	***		***	
<i>Fall to Lower Level n.e.c.* (119)</i>	18	4	***		***	
Fall on Same Level (13)	10	4	***		***	
<b>Exposure to Substances/Environments (3)</b>	<b>9</b>	<b>3</b>	<b>9</b>	<b>3</b>	<b>0</b>	
Exposure Caustic/Allergenic Substance (34)	7	3	7	3	0	
<b>Assaults and Violent Acts (6)</b>	<b>12</b>	<b>4</b>	<b>0</b>		<b>12</b>	<b>4</b>
Assault by Animal (63)	12	4	0		12	4
<i>Assault by Animal n.e.c.* (639)</i>	7	3	***		***	
<b>Other and Unknown Events**</b>	<b>18</b>		<b>9</b>		<b>9</b>	
<b>Total †</b>	<b>102</b>	<b>13</b>	<b>43</b>	<b>9</b>	<b>59</b>	<b>9</b>

† Estimates may not add to the total because of rounding.

‡ Categories based on the Bureau of Labor Statistics Occupational Injury and Illness Coding Structure (OIICS). OIICS codes are provided in parentheses.

\* "n.e.c." is an abbreviation for "not elsewhere classified."

\*\* Other and Unknown Events includes "Bodily Reaction/Exertion," "Transportation Events," "Fires and Explosions," "Other Events," and "Unknown Events."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.43 National estimates of **injuries to household youth** less than 20 years of age on Black farms by sex and age, 2000

Age	Total †		Male		Female	
	Estimate	se	Estimate	se	Estimate	se
< 10 years	17	6	9	3	8	5
10-19 years	32		25		7	
Total †	49	9	33	7	16	6

† Estimates may not add to the total because of rounding.

Table 3.44 National estimates of **injuries to household youth** less than 20 years of age on Black farms by work status and age, 2000

Age	Total †		Working		Non-Working	
	Estimate	se	Estimate	se	Estimate	se
< 10 years	17	6	0		17	6
10-19 years	32		22		10	
Total †	49	9	22	6	27	7

† Estimates may not add to the total because of rounding.

Table 3.45 National estimates of **injuries to household youth** less than 20 years of age on Black farms by sex and type of farm, 2000

Type of Farm	Total †		Male		Female	
	Estimate	se	Estimate	se	Estimate	se
All crop	18	6	10	3	8	5
All livestock	31	7	24	6	7	4
Total †	49	9	33	7	16	6

† Estimates may not add to the total because of rounding.

Table 3.46 National estimates of **injuries to household youth** less than 20 years of age on Black farms by sex and type of injury, 2000

Type of Injury	Total †		Male		Female	
	Estimate	se	Estimate	se	Estimate	se
Sprain, strain	7	3	0		7	3
Broken bone, fracture	7	3	7	3	0	
Cut, laceration	16	6	***		***	
All other injuries*	20		***		***	
<b>Total †</b>	<b>49</b>	<b>9</b>	<b>33</b>	<b>7</b>	<b>16</b>	<b>6</b>

† Estimates may not add to the total because of rounding.

\* All other injuries includes "Scrape, abrasion," "Bruise, contusion," "Dislocation," "Puncture, stab, jab," "Traumatic rupture," "Crushed," "Amputation," "Nerve injury," "Burn, blister, scald," "Multiple injuries," and "Other injury."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.47 National estimates of **injuries to household youth** less than 20 years of age on Black farms by work status and type of injury, 2000

Type of Injury	Total †		Working		Non-Working	
	Estimate	se	Estimate	se	Estimate	se
Sprain, strain	7	3	0		7	3
Broken bone, fracture	7	3	***		***	
Cut, laceration	16	6	***		***	
All other injuries*	20		***		***	
<b>Total †</b>	<b>49</b>	<b>9</b>	<b>23</b>	<b>6</b>	<b>27</b>	<b>7</b>

† Estimates may not add to the total because of rounding.

\* All other injuries includes "Scrape, abrasion," "Bruise, contusion," "Dislocation," "Puncture, stab, jab," "Traumatic rupture," "Crushed," "Amputation," "Nerve injury," "Burn, blister, scald," "Multiple injuries," and "Other injury."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.48 National estimates of **injuries to household youth** less than 20 years of age on Black farms by sex and body part injured, 2000

Body Part Injured	Total †		Male		Female	
	Estimate	se	Estimate	se	Estimate	se
Face	8	3	***		***	
Arm	9	3	9	3	0	
Leg	10	4	***		***	
Foot, ankle, toes	7	3	***		***	
All other body parts*	15		***		***	
<b>Total †</b>	<b>49</b>	<b>9</b>	<b>33</b>	<b>7</b>	<b>16</b>	<b>6</b>

† Estimates may not add to the total because of rounding.

\* All other body parts includes "Head, skull," "Neck," "Shoulder, chest, back," "Abdomen," "Pelvic region," "Hand, wrist, fingers," "Internal injury," "Multiple body parts," and "Other body parts."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.49 National estimates of **injuries to household youth** less than 20 years of age on Black farms by age and body part injured, 2000

Body Part Injured	Total †		< 10 years		10-19 years	
	Estimate	se	Estimate	se	Estimate	se
Face	8	3	***		***	
Arm	9	3	***		***	
Leg	10	4	0		10	
Foot, ankle, toes	7	3	***		***	
All other body parts*	15		***		***	
<b>Total †</b>	<b>49</b>	<b>9</b>	<b>17</b>	<b>6</b>	<b>32</b>	

† Estimates may not add to the total because of rounding.

\* All other body parts includes "Head, skull," "Neck," "Shoulder, chest, back," "Abdomen," "Pelvic region," "Hand, wrist, fingers," "Internal injury," "Multiple body parts," and "Other body parts."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.50 National estimates of **injuries to household youth** less than 20 years of age on Black farms by work status and body part injured, 2000

Body Part Injured	Total †		Working		Non-Working	
	Estimate	se	Estimate	se	Estimate	se
Face	8	3	0		8	3
Arm	9	3	***		***	
Leg	10	4	***		***	
Foot, ankle, toes	7	3	***		***	
All other body parts*	15		***		***	
<b>Total †</b>	<b>49</b>	<b>9</b>	<b>23</b>	<b>6</b>	<b>27</b>	<b>7</b>

† Estimates may not add to the total because of rounding.

\* All other body parts includes "Head, skull," "Neck," "Shoulder, chest, back," "Abdomen," "Pelvic region," "Hand, wrist, fingers," "Internal injury," "Multiple body parts," and "Other body parts."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.51 National estimates of **injuries to household youth** less than 20 years of age on Black farms by sex and source of injury, 2000

Source of Injury ‡	Total †		Male		Female	
	Estimate	se	Estimate	se	Estimate	se
<b>Structures and Surfaces (6)</b>	<b>17</b>	<b>5</b>	***		***	
Floors/Walkways/Ground (62)	12	4	***		***	
Ground (623)	9	3	***		***	
<b>Tools/Instruments/Equipment (7)</b>	<b>7</b>	<b>3</b>	<b>7</b>	<b>3</b>	<b>0</b>	
<b>Other and Unknown Sources*</b>	<b>10</b>		***		***	
<b>Total †</b>	<b>49</b>	<b>9</b>	<b>33</b>	<b>7</b>	<b>16</b>	<b>6</b>

† Estimates may not add to the total because of rounding.

‡ Categories based on the Bureau of Labor Statistics Occupational Injury and Illness Coding Structure (OIICS). OIICS codes are provided in parentheses.

\* Other and Unknown Sources includes "Chemicals," "Containers," "Furniture and Fixtures," "Machinery," "Parts/Materials," "Persons/Animals/Plants/Minerals," "Vehicles," "Other Sources," and "Unknown Sources."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.52 National estimates of **injuries to household youth** less than 20 years of age on Black farms by age and source of injury, 2000

Source of Injury ‡	Total †		<10 years		10-19 years	
	Estimate	se	Estimate	se	Estimate	se
<b>Structures and Surfaces (6)</b>	<b>17</b>	<b>5</b>	<b>0</b>		<b>17</b>	
Floors/Walkways/Ground (62)	12	4	0		12	
<i>Ground (623)</i>	9	3	***		***	
<b>Tools/Instruments/Equipment (7)</b>	<b>7</b>	<b>3</b>	***		***	
<b>Other and Unknown Sources*</b>	<b>25</b>		***		***	
<b>Total †</b>	<b>49</b>	<b>9</b>	<b>17</b>	<b>6</b>	<b>27</b>	

† Estimates may not add to the total because of rounding.

‡ Categories based on the Bureau of Labor Statistics Occupational Injury and Illness Coding Structure (OIICS). OIICS codes are provided in parentheses.

\* Other and Unknown Sources includes "Chemicals," "Containers," "Furniture and Fixtures," "Machinery," "Parts/Materials," "Persons/Animals/Plants/Minerals," "Vehicles," "Other Sources," and "Unknown Sources."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.53 National estimates of **injuries to household youth** less than 20 years of age on Black farms by work status and source of injury, 2000

Source of Injury ‡	Total †		Working		Non-Working	
	Estimate	se	Estimate	se	Estimate	se
<b>Structures and Surfaces (6)</b>	<b>17</b>	<b>5</b>	<b>10</b>	<b>4</b>	<b>7</b>	<b>3</b>
Floors/Walkways/Ground (62)	12	4	***		***	
<i>Ground (623)</i>	9	3	***		***	
<b>Tools/Instruments/Equipment (7)</b>	<b>7</b>	<b>3</b>	***		***	
<b>Other and Unknown Sources*</b>	<b>25</b>		***		***	
<b>Total †</b>	<b>49</b>	<b>9</b>	<b>22</b>	<b>6</b>	<b>27</b>	<b>7</b>

† Estimates may not add to the total because of rounding.

‡ Categories based on the Bureau of Labor Statistics Occupational Injury and Illness Coding Structure (OIICS). OIICS codes are provided in parentheses.

\* Other and Unknown Sources includes "Chemicals," "Containers," "Furniture and Fixtures," "Machinery," "Parts/Materials," "Persons/Animals/Plants/Minerals," "Vehicles," "Other Sources," and "Unknown Sources."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.54 National estimates of **injuries to household youth** less than 20 years of age on Black farms by age and type of injury event, 2000

Type of Injury Event †	Total †		<10 years		10-19 years	
	Estimate	se	Estimate	se	Estimate	se
<b>Contact With Objects (0)</b>	<b>15</b>	<b>4</b>	***		***	
Struck Against Object (01)	7	3	0		7	
<b>Falls (1)</b>	<b>22</b>	<b>5</b>	<b>10</b>	<b>4</b>	<b>12</b>	
Fall to Lower Level (11)	12	3	***		***	
<i>Fall to Lower Level n.e.c.* (119)</i>	12	3	***		***	
Fall on Same Level (13)	8	3	***		***	
<b>Other and Unknown Events**</b>	<b>12</b>		***		***	
<b>Total †</b>	<b>49</b>	<b>9</b>	<b>17</b>	<b>6</b>	<b>32</b>	

† Estimates may not add to the total because of rounding.

‡ Categories based on the Bureau of Labor Statistics Occupational Injury and Illness Coding Structure (OIICS). OIICS codes are provided in parentheses.

\* "n.e.c." is an abbreviation for "not elsewhere classified."

\*\* Other and Unknown Events includes "Bodily Reaction/Exertion," "Exposure to Substances/Environments," "Transportation Events," "Fires and Explosions," "Assaults and Violent Acts," "Other Events," and "Unknown Events."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.55 National estimates of **injuries to household youth** less than 20 years of age on Black farms by work status and type of injury event, 2000

Type of Injury Event †	Total †		Working		Non-Working	
	Estimate	se	Estimate	se	Estimate	se
<b>Contact With Objects (0)</b>	<b>15</b>	<b>4</b>	<b>7</b>	<b>3</b>	<b>8</b>	<b>3</b>
Struck Against Object (01)	7	3	***		***	
<b>Falls (1)</b>	<b>22</b>	<b>5</b>	<b>7</b>	<b>3</b>	<b>15</b>	<b>4</b>
Fall to Lower Level (11)	12	3	***		***	
<i>Fall to Lower Level n.e.c.* (119)</i>	12	3	***		***	
Fall on Same Level (13)	8	3	***		***	
<b>Other and Unknown Events**</b>	<b>12</b>		<b>8</b>		<b>4</b>	
<b>Total †</b>	<b>49</b>	<b>9</b>	<b>22</b>	<b>6</b>	<b>27</b>	<b>7</b>

† Estimates may not add to the total because of rounding.

‡ Categories based on the Bureau of Labor Statistics Occupational Injury and Illness Coding Structure (OIICS). OIICS codes are provided in parentheses.

\* "n.e.c." is an abbreviation for "not elsewhere classified."

\*\* Other and Unknown Events includes "Bodily Reaction/Exertion," "Exposure to Substances/Environments," "Transportation Events," "Fires and Explosions," "Assaults and Violent Acts," "Other Events," and "Unknown Events."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.56 National estimates of **injury rates for all youth** less than 20 years of age on Black farms by work status and relationship to the farm, 2000

Relationship to Farm	Total		Working		Non-Working	
	Rate/1000	se	Rate/1000	se	Rate/1000	se
<b>Household youth</b>	<b>6.36</b>	<b>1.21</b>	<b>7.68</b>	<b>2.10</b>	<b>3.51</b>	<b>0.91</b>
<b>Hired youth</b>	***		***		***	
<b>Visiting youth</b>	***		***		***	
Relatives	0.54	0.10	3.87	1.22	0.34	0.06
Non-relatives	***		***		***	
<b>Total</b>	<b>0.69</b>	<b>0.09</b>	<b>4.98</b>	<b>1.00</b>	<b>0.40</b>	<b>0.06</b>

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.57 National estimates of **injury rates for all youth** less than 20 years of age on Black farms by work status and type of farm, 2000

Type of Farm	Total		Working		Non-Working	
	Rate/1000	se	Rate/1000	se	Rate/1000	se
<b>All crop</b>	<b>0.73</b>	<b>0.16</b>	<b>3.33</b>	<b>1.22</b>	<b>0.51</b>	<b>0.14</b>
Grain and oil seed	1.19	0.42	***		***	
All other crop*	0.51		***		***	
<b>All livestock</b>	<b>0.70</b>	<b>0.11</b>	<b>6.10</b>	<b>1.45</b>	<b>0.35</b>	<b>0.07</b>
Beef	0.62	0.11	***		***	
All other livestock**	1.07		***		***	
<b>Total</b>	<b>0.69</b>	<b>0.09</b>	<b>4.98</b>	<b>1.00</b>	<b>0.40</b>	<b>0.06</b>

\* All other crop includes "Tobacco," "Cotton," "Vegetable and melon," "Fruit, nut, and berry," "Nursery and floriculture," and "Other crop" farms.

\*\* All other livestock includes "Dairy," "Hog," "Sheep and goat," "Equine," "Poultry and egg," "Aquaculture," and "Other livestock" farms.

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.58 National estimates of **injury rates for all youth** less than 20 years of age on Black farms by work status and type of injury, 2000

Type of Injury	Total		Working		Non-Working	
	Rate/1000	se	Rate/1000	se	Rate/1000	se
Bruise, contusion	0.05	0.02	***		***	
Sprain, strain	0.06	0.02	***		***	
Broken bone, fracture	0.10	0.03	***		***	
Cut, laceration	0.23	0.06	1.83	0.63	0.12	0.04
Puncture, stab, jab	0.08	0.03	***		***	
All other injuries*	0.16		1.36		0.08	
<b>Total</b>	<b>0.69</b>	<b>0.09</b>	<b>4.98</b>	<b>1.00</b>	<b>0.40</b>	<b>0.06</b>

\* All other injuries includes "Scrape, abrasion," "Dislocation," "Traumatic rupture," "Crushed," "Amputation," "Nerve injury," "Burn, blister, scald," "Multiple injuries," and "Other injury."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.59 National estimates of **injury rates for all youth** less than 20 years of age on Black farms by work status and body part injured, 2000

Body Part Injured	Total		Working		Non-Working	
	Rate/1000	se	Rate/1000	se	Rate/1000	se
Head, skull	0.06	0.02	***		***	
Face	0.11	0.03	***		***	
Arm	0.13	0.03	***		***	
Hand, wrist, fingers	0.09	0.03	***		***	
Leg	0.13	0.04	1.37	0.62	0.05	0.02
Foot, ankle, toes	0.09	0.03	0.90	0.37	0.04	0.02
All other body parts*	0.08		***		***	
<b>Total</b>	<b>0.69</b>	<b>0.09</b>	<b>4.98</b>	<b>1.00</b>	<b>0.40</b>	<b>0.06</b>

\* All other body parts includes "Neck," "Shoulder, chest, back," "Abdomen," "Pelvic region," "Internal injury," "Multiple body parts," and "Other body parts."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.60 National estimates of **injury rates for all youth** less than 20 years of age on Black farms by work status and source of injury, 2000

Source of Injury †	Total		Working		Non-Working	
	Rate/1000	se	Rate/1000	se	Rate/1000	se
<b>Parts/Materials (4)</b>	<b>0.08</b>	<b>0.03</b>	<b>1.37</b>	<b>0.51</b>	<b>0.00</b>	
<b>Persons/Animals/Plants/Minerals (5)</b>	<b>0.13</b>	<b>0.03</b>	<b>0.81</b>	<b>0.30</b>	<b>0.08</b>	<b>0.03</b>
Animals (51)	0.10	0.03	***		***	
<b>Structures and Surfaces (6)</b>	<b>0.18</b>	<b>0.04</b>	<b>1.38</b>	<b>0.50</b>	<b>0.09</b>	<b>0.03</b>
Floors/Walkways/Ground (62)	0.14	0.03	1.09	0.36	0.08	0.02
Ground (623)	0.11	0.03	1.09	0.36	0.05	0.02
<b>Tools/Instruments/Equipment (7)</b>	<b>0.08</b>	<b>0.02</b>	<b>***</b>		<b>***</b>	
Recreation Equipment (78)	0.04	0.02	0.00		0.04	0.02
<b>Other and Unknown Sources*</b>	<b>0.23</b>		<b>***</b>		<b>***</b>	
<b>Total</b>	<b>0.69</b>	<b>0.09</b>	<b>4.98</b>	<b>1.00</b>	<b>0.40</b>	<b>0.06</b>

† Categories based on the Bureau of Labor Statistics Occupational Injury and Illness Coding Structure (OIICS). OIICS codes are provided in parentheses.

\* Other and Unknown Sources includes "Chemicals," "Containers," "Furniture and Fixtures," "Machinery," "Vehicles," "Other Sources," and "Unknown Sources."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.61 National estimates of **injury rates for all youth** less than 20 years of age on Black farms by work status and type of injury event, 2000

Type of Injury Event †	Total		Working		Non-Working	
	Rate/1000	se	Rate/1000	se	Rate/1000	se
<b>Contact With Objects (0)</b>	<b>0.22</b>	<b>0.04</b>	<b>1.83</b>	<b>0.53</b>	<b>0.11</b>	<b>0.03</b>
Contact With Object Unspecified (00)	0.05	0.02	***		***	
Struck Against Object (01)	0.07	0.03	***		***	
Against Stationary Object (012)	0.06	0.02	***		***	
Struck by Object (02)	0.07	0.03	***		***	
<b>Falls (1)</b>	<b>0.21</b>	<b>0.04</b>	<b>1.09</b>	<b>0.36</b>	<b>0.15</b>	<b>0.03</b>
Fall to Lower Level (11)	0.12	0.03	***		***	
Fall to Lower Level n.e.c.* (119)	0.12	0.03	***		***	
Fall on Same Level (13)	0.07	0.02	***		***	
<b>Exposure to Substances/Environments (3)</b>	<b>0.06</b>	<b>0.02</b>	<b>1.07</b>	<b>0.35</b>	<b>0.00</b>	
Exposure Caustic/Allergenic Substance (34)	0.05	0.02	0.81	0.30	0.00	
<b>Assaults and Violent Acts (6)</b>	<b>0.08</b>	<b>0.03</b>	<b>0.00</b>		<b>0.08</b>	<b>0.03</b>
Assault by Animal (63)	0.08	0.03	0.00		0.08	0.03
Assault by Animal n.e.c.* (639)	0.05	0.02	***		***	
<b>Other and Unknown Events**</b>	<b>0.12</b>		<b>1.00</b>		<b>0.06</b>	
<b>Total</b>	<b>0.69</b>	<b>0.09</b>	<b>4.98</b>	<b>1.00</b>	<b>0.40</b>	<b>0.06</b>

† Categories based on the Bureau of Labor Statistics Occupational Injury and Illness Coding Structure (OIICS). OIICS codes are provided in parentheses.

\* "n.e.c." is an abbreviation for "not elsewhere classified."

\*\* Other and Unknown Events includes "Bodily Reaction/Exertion," "Transportation Events," "Fires and Explosions," "Other Events," and "Unknown Events."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.62 National estimates of **injury rates for household youth** less than 20 years of age on Black farms by sex and age, 2000

Age	Total		Male		Female	
	Rate/1000	se	Rate/1000	se	Rate/1000	se
<10 years	7.31	2.56	7.30	2.33	7.33	4.37
10-19 years	6.34		9.19		3.04	
Total	6.36	1.21	8.53	1.75	4.44	1.75

Table 3.63 National estimates of **injury rates for household youth** less than 20 years of age on Black farms by work status and age, 2000

Age	Total		Working		Non-Working	
	Rate/1000	se	Rate/1000	se	Rate/1000	se
<10 years	7.31	2.56	0.00		7.31	2.56
10-19 years	6.34		8.71		1.90	
Total	6.36	1.21	7.75	2.03	3.47	0.93

Table 3.64 National estimates of **injury rates for household youth** less than 20 years of age on Black farms by sex and type of farm, 2000

Type of Farm	Total		Male		Female	
	Rate/1000	se	Rate/1000	se	Rate/1000	se
All crop	7.38	2.58	7.70	2.71	7.10	4.24
All livestock	6.49	1.46	9.47	2.37	3.22	1.59
Total	6.36	1.21	8.53	1.75	4.44	1.75

Table 3.65 National estimates of **injury rates for household youth** less than 20 years of age on Black farms by sex and type of injury, 2000

Type of Injury	Total		Male		Female	
	Rate/1000	se	Rate/1000	se	Rate/1000	se
Sprain, strain	0.86	0.43	0.00		1.89	0.95
Broken bone, fracture	0.86	0.43	1.69	0.85	0.00	
Cut, laceration	2.04	0.76	***		***	
All other injuries*	2.60		***		***	
<b>Total</b>	<b>6.36</b>	<b>1.21</b>	<b>8.53</b>	<b>1.75</b>	<b>4.44</b>	<b>1.75</b>

\* All other injuries includes "Scrape, abrasion," "Bruise, contusion," "Dislocation," "Puncture, stab, jab," "Traumatic rupture," "Crushed," "Amputation," "Nerve injury," "Burn, blister, scald," "Multiple injuries," and "Other injury."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.66 National estimates of **injury rates for household youth** less than 20 years of age on Black farms by work status and type of injury, 2000

Type of Injury	Total		Working		Non-Working	
	Rate/1000	se	Rate/1000	se	Rate/1000	se
Sprain, strain	0.86	0.43	0.00		0.86	0.43
Broken bone, fracture	0.86	0.43	***		***	
Cut, laceration	2.04	0.76	***		***	
All other injuries*	2.60		***		***	
<b>Total</b>	<b>6.36</b>	<b>1.21</b>	<b>7.89</b>	<b>2.10</b>	<b>3.47</b>	<b>0.93</b>

\* All other injuries includes "Scrape, abrasion," "Bruise, contusion," "Dislocation," "Puncture, stab, jab," "Traumatic rupture," "Crushed," "Amputation," "Nerve injury," "Burn, blister, scald," "Multiple injuries," and "Other injury."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.67 National estimates of **injury rates for household youth** less than 20 years of age on Black farms by sex and body part injured, 2000

Body Part Injured	Total		Male		Female	
	Rate/1000	se	Rate/1000	se	Rate/1000	se
Face	1.03	0.42	***		***	
Arm	1.20	0.39	2.36	0.77	0.00	
Leg	1.34	0.56	***		***	
Foot, ankle, toes	0.87	0.33	***		***	
All other body parts*	1.93		***		***	
<b>Total</b>	<b>6.36</b>	<b>1.21</b>	<b>8.53</b>	<b>1.75</b>	<b>4.44</b>	<b>1.75</b>

\* All other body parts includes "Head, skull," "Neck," "Shoulder, chest, back," "Abdomen," "Pelvic region," "Hand, wrist, fingers," "Internal injury," "Multiple body parts," and "Other body parts."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.68 National estimates of **injury rates for household youth** less than 20 years of age on Black farms by age and body part injured, 2000

Body Part Injured	Total		<10 years		10-19 years	
	Rate/1000	se	Rate/1000	se	Rate/1000	se
Face	1.03	0.42	***		***	
Arm	1.20	0.39	***		***	
Leg	1.34	0.56	0.00		2.06	
Foot, ankle, toes	0.87	0.33	***		***	
All other body parts*	1.93		***		***	
<b>Total</b>	<b>6.36</b>	<b>1.21</b>	<b>7.31</b>	<b>2.56</b>	<b>6.34</b>	

\* All other body parts includes "Head, skull," "Neck," "Shoulder, chest, back," "Abdomen," "Pelvic region," "Hand, wrist, fingers," "Internal injury," "Multiple body parts," and "Other body parts."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.69 National estimates of **injury rates for household youth** less than 20 years of age on Black farms by work status and body part injured, 2000

Body Part Injured	Total		Working		Non-Working	
	Rate/1000	se	Rate/1000	se	Rate/1000	se
Face	1.03	0.42	0.00		1.03	0.42
Arm	1.20	0.39	***		***	
Leg	1.34	0.56	***		***	
Foot, ankle, toes	0.87	0.33	***		***	
All other body parts*	1.93		***		***	
<b>Total</b>	<b>6.36</b>	<b>1.21</b>	<b>7.89</b>	<b>2.10</b>	<b>3.47</b>	<b>0.93</b>

\* All other body parts includes "Head, skull," "Neck," "Shoulder, chest, back," "Abdomen," "Pelvic region," "Hand, wrist, fingers," "Internal injury," "Multiple body parts," and "Other body parts."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.70 National estimates of **injury rates for household youth** less than 20 years of age on Black farms by sex and source of injury, 2000

Source of Injury †	Total		Male		Female	
	Rate/1000	se	Rate/1000	se	Rate/1000	se
<b>Structures and Surfaces (6)</b>	<b>2.19</b>	<b>0.64</b>	***		***	
Floors/Walkways/Ground (62)	1.52	0.46	***		***	
<i>Ground (623)</i>	1.22	0.40	***		***	
<b>Tools/Instruments/Equipment (7)</b>	<b>0.88</b>	<b>0.33</b>	<b>1.74</b>	<b>0.64</b>	<b>0.00</b>	
<b>Other and Unknown Sources*</b>	<b>3.29</b>		***		***	
<b>Total</b>	<b>6.36</b>	<b>1.21</b>	<b>8.53</b>	<b>1.75</b>	<b>4.44</b>	<b>1.75</b>

† Categories based on the Bureau of Labor Statistics Occupational Injury and Illness Coding Structure (OIICS). OIICS codes are provided in parentheses.

\* Other and Unknown Sources includes "Chemicals," "Containers," "Furniture and Fixtures," "Machinery," "Parts/Materials," "Persons/Animals/Plants/Minerals," "Vehicles," "Other Sources," and "Unknown Sources."

\*\*\* Estimate is not reportable or suppressed because of a non-reportable cell.

Table 3.71 National estimates of **injury rates for household youth** less than 20 years of age on Black farms by age and source of injury, 2000

Source of Injury †	Total		<10 years		10-19 years	
	Rate/1000	se	Rate/1000	se	Rate/1000	se
<b>Structures and Surfaces (6)</b>	<b>2.19</b>	<b>0.64</b>	<b>0.00</b>		<b>3.36</b>	
Floors/Walkways/Ground (62)	1.52	0.46	0.00		2.34	
<i>Ground (623)</i>	1.22	0.40	***		***	
<b>Tools/Instruments/Equipment (7)</b>	<b>0.88</b>	<b>0.33</b>	***		***	
<b>Other and Unknown Sources*</b>	<b>3.29</b>		***		***	
<b>Total</b>	<b>6.36</b>	<b>1.21</b>	<b>7.31</b>	<b>2.56</b>	<b>5.40</b>	

† Categories based on the Bureau of Labor Statistics Occupational Injury and Illness Coding Structure (OIICS). OIICS codes are provided in parentheses.

\* Other and Unknown Sources includes "Chemicals," "Containers," "Furniture and Fixtures," "Machinery," "Parts/Materials," "Persons/Animals/Plants/Minerals," "Vehicles," "Other Sources," and "Unknown Sources."

\*\*\* Estimate is not reportable or suppressed because of a non-reportable cell.

Table 3.72 National estimates of **injury rates for household youth** less than 20 years of age on Black farms by work status and source of injury, 2000

Source of Injury †	Total		Working		Non-Working	
	Rate/1000	se	Rate/1000	se	Rate/1000	se
<b>Structures and Surfaces (6)</b>	<b>2.19</b>	<b>0.64</b>	<b>3.35</b>	<b>1.40</b>	<b>0.92</b>	<b>0.35</b>
Floors/Walkways/Ground (62)	1.52	0.46	***		***	
Ground (623)	1.22	0.40	***		***	
<b>Tools/Instruments/Equipment (7)</b>	<b>0.88</b>	<b>0.33</b>	<b>***</b>		<b>***</b>	
<b>Other and Unknown Sources*</b>	<b>3.29</b>		<b>***</b>		<b>***</b>	
<b>Total</b>	<b>6.36</b>	<b>1.21</b>	<b>7.75</b>	<b>2.10</b>	<b>3.47</b>	<b>0.93</b>

† Categories based on the Bureau of Labor Statistics Occupational Injury and Illness Coding Structure (OIICS). OIICS codes are provided in parentheses.

\* Other and Unknown Sources includes "Chemicals," "Containers," "Furniture and Fixtures," "Machinery," "Parts/Materials," "Persons/Animals/Plants/Minerals," "Vehicles," "Other Sources," and "Unknown Sources."

\*\*\* Estimate is not reportable or suppressed because of a non-reportable cell.

Table 3.73 National estimates of **injury rates for household youth** less than 20 years of age on Black farms by age and type of injury event, 2000

Type of Injury Event †	Total		<10 years		10-19 years	
	Estimate	se	Estimate	se	Estimate	se
<b>Contact With Objects (0)</b>	<b>1.95</b>	<b>0.56</b>	<b>***</b>		<b>***</b>	
Struck Against Object (01)	0.96	0.38	0.00		1.48	
<b>Falls (1)</b>	<b>2.81</b>	<b>0.64</b>	<b>4.21</b>	<b>1.49</b>	<b>2.34</b>	
Fall to Lower Level (11)	1.50	0.44	***		***	
Fall to Lower Level n.e.c.* (119)	1.50	0.44	***		***	
Fall on Same Level (13)	1.00	0.42	***		***	
<b>Other and Unknown Events**</b>	<b>1.60</b>		<b>***</b>		<b>***</b>	
<b>Total</b>	<b>6.36</b>	<b>1.21</b>	<b>7.31</b>	<b>2.56</b>	<b>6.34</b>	

† Categories based on the Bureau of Labor Statistics Occupational Injury and Illness Coding Structure (OIICS). OIICS codes are provided in parentheses.

\* "n.e.c." is an abbreviation for "not elsewhere classified."

\*\* Other and Unknown Events includes "Bodily Reaction/Exertion," "Exposure to Substances/Environments," "Transportation Events," "Fires and Explosions," "Assaults and Violent Acts," "Other Events," and "Unknown Events."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.74 National estimates of **injury rates for household youth** less than 20 years of age on Black farms by work status and type of injury event, 2000

Type of Injury Event †	Total		Working		Non-Working	
	Rate/1000	se	Rate/1000	se	Rate/1000	se
<b>Contact With Objects (0)</b>	<b>1.95</b>	<b>0.56</b>	<b>2.51</b>	<b>0.98</b>	<b>1.01</b>	<b>0.42</b>
Struck Against Object (01)	0.96	0.38	***		***	
<b>Falls (1)</b>	<b>2.81</b>	<b>0.64</b>	<b>2.48</b>	<b>0.94</b>	<b>1.89</b>	<b>0.53</b>
Fall to Lower Level (11)	1.50	0.44	***		***	
Fall to Lower Level n.e.c.* (119)	1.50	0.44	***		***	
Fall on Same Level (13)	1.00	0.42	***		***	
<b>Other and Unknown Events**</b>	<b>1.60</b>		<b>2.76</b>		<b>0.57</b>	
<b>Total</b>	<b>6.36</b>	<b>1.21</b>	<b>7.75</b>	<b>2.10</b>	<b>3.47</b>	<b>0.93</b>

† Categories based on the Bureau of Labor Statistics Occupational Injury and Illness Coding Structure (OIICS). OIICS codes are provided in parentheses.

\* "n.e.c." is an abbreviation for "not elsewhere classified."

\*\* Other and Unknown Events includes "Bodily Reaction/Exertion," "Exposure to Substances/Environments," "Transportation Events," "Fires and Explosions," "Assaults and Violent Acts," "Other Events," and "Unknown Events."

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.75 National estimates of **asthma among household youth** less than 20 years of age on Black farms by sex, 2000

Sex	Asthma		No Asthma		Unknown
	Estimate	se	Estimate	se	Estimate
Male	473	24	3390	67	39
Female	270	17	3209	67	13
Unknown	2		16		275
<b>Total †</b>	<b>745</b>	<b>30</b>	<b>6615</b>	<b>107</b>	<b>328</b>

† Estimates may not add to the total because of rounding.

Table 3.76 National estimates of **asthma among household youth** less than 20 years of age on Black farms by age, 2000

Age	Asthma		No Asthma		Unknown
	Estimate	se	Estimate	se	Estimate
<b>&lt;10 years</b>	<b>235</b>	<b>17</b>	<b>2108</b>	<b>55</b>	<b>10</b>
<b>10-15 years</b>	<b>314</b>	<b>19</b>	<b>2559</b>	<b>58</b>	<b>9</b>
10-11 years	118	11	777	29	0
12-13 years	102	10	827	29	9
14-15 years	95	10	956	32	0
<b>16-19 years</b>	<b>189</b>	<b>15</b>	<b>1906</b>	<b>47</b>	<b>23</b>
16-17 years	119	11	1021	32	9
18-19 years	71	9	885	30	14
<b>Unknown</b>	<b>7</b>		<b>43</b>		<b>286</b>
<b>Total †</b>	<b>745</b>	<b>30</b>	<b>6615</b>	<b>107</b>	<b>327</b>

† Estimates may not add to the total because of rounding.

Table 3.77 National estimates of **asthma among household youth** less than 20 years of age on Black farms by sex and age, 2000

Age	Total †		Male		Female		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
<b>&lt;10 years</b>	<b>235</b>	<b>17</b>	<b>157</b>	<b>13</b>	<b>78</b>	<b>9</b>	<b>0</b>
<b>10-15 years</b>	<b>314</b>	<b>19</b>	<b>189</b>	<b>15</b>	<b>125</b>	<b>11</b>	<b>0</b>
10-11 years	118	11	75	9	43	7	0
12-13 years	102	10	65	9	36	6	0
14-15 years	95	10	49	7	45	7	0
<b>16-19 years</b>	<b>189</b>	<b>15</b>	<b>123</b>	<b>12</b>	<b>66</b>	<b>8</b>	<b>0</b>
16-17 years	119	11	71	9	48	7	0
18-19 years	71	9	52	8	19	4	0
<b>Unknown</b>	<b>7</b>		<b>4</b>		<b>0</b>		<b>2</b>
<b>Total †</b>	<b>745</b>	<b>30</b>	<b>473</b>	<b>24</b>	<b>270</b>	<b>17</b>	<b>2</b>

† Estimates may not add to the total because of rounding.

Table 3.78 National estimates of **asthma among household youth** less than 20 years of age on Black farms by sex and type of farm, 2000

Type of Farm	Total †		Male		Female		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
<b>All crop</b>	<b>261</b>	<b>19</b>	<b>163</b>	<b>14</b>	<b>97</b>	<b>10</b>	<b>0</b>
Grain and oil seed	77	11	49	8	28	5	0
Tobacco	29	6	17	4	12	3	0
Cotton	31	8	24	6	7	3	0
Vegetable and melon	38	7	24	5	14	4	0
Fruit, nut, and berry	21	5	14	4	7	3	0
All other crop*	65		35		30		0
<b>All livestock</b>	<b>465</b>	<b>24</b>	<b>297</b>	<b>19</b>	<b>166</b>	<b>13</b>	<b>2</b>
Beef	371	21	222	15	147	12	2
Hog	34	7	***		***		0
Sheep and goat	14	4	***		***		0
Equine	24	7	***		***		0
Poultry and egg	11	3	***		***		0
All other livestock**	12		12		0		0
<b>Unknown</b>	<b>20</b>		<b>13</b>		<b>7</b>		<b>0</b>
<b>Total †</b>	<b>745</b>	<b>30</b>	<b>473</b>	<b>24</b>	<b>270</b>	<b>17</b>	<b>2</b>

† Estimates may not add to the total because of rounding.

\* All other crop includes "Nursery and floriculture" and "Other crop" farms.

\*\* All other livestock includes "Dairy," "Aquaculture," and "Other livestock" farms.

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.79 National estimates of **asthma among household youth** less than 20 years of age on Black farms by age and type of farm, 2000

Type of Farm	Total †		<10 years		10-15 years		16-19 years	
	Estimate	se	Estimate	se	Estimate	se	Estimate	se
<b>All crop</b>	<b>261</b>	<b>19</b>	<b>83</b>	<b>9</b>	<b>123</b>	<b>13</b>	<b>52</b>	<b>7</b>
Grain and oil seed	77	11	28	5	35	9	14	4
Tobacco	29	6	***		14	4	***	
Cotton	31	8	11	4	11	3	9	3
Vegetable and melon	38	7	***		20	5	9	3
Fruit, nut, and berry	21	5	***		16	5	***	
All other crop*	65		21		28		14	
<b>All livestock</b>	<b>465</b>	<b>24</b>	<b>148</b>	<b>14</b>	<b>181</b>	<b>13</b>	<b>132</b>	<b>13</b>
Beef	371	21	116	11	143	12	108	11
Hog	34	7	15	6	14	4	***	
Sheep and goat	14	4	7	3	***		***	
Equine	24	7	***		***		11	5
Poultry and egg	11	3	***		***		***	
All other livestock**	12		***		12		***	
<b>Unknown</b>	<b>20</b>		<b>4</b>		<b>11</b>		<b>5</b>	
<b>Total †</b>	<b>745</b>	<b>30</b>	<b>235</b>	<b>17</b>	<b>314</b>	<b>19</b>	<b>189</b>	<b>15</b>

† Estimates may not add to the total because of rounding.

\* All other crop includes "Nursery and floriculture" and "Other crop" farms.

\*\* All other livestock includes "Dairy," "Aquaculture," and "Other livestock" farms.

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.80 National estimates of **asthmatic household youth** less than 20 years of age with 1 or more **asthma attacks while doing farm work** by sex on Black farms, 2000

Sex	Total †		Attack at Work		No Attack at Work		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
Male	473	24	156	13	182	15	135
Female	270	17	70	9	131	12	69
Unknown	2		2		0		0
<b>Total †</b>	<b>745</b>	<b>30</b>	<b>228</b>	<b>17</b>	<b>313</b>	<b>313</b>	<b>204</b>

† Estimates may not add to the total because of rounding.

Table 3.81 National estimates of **asthmatic household youth** less than 20 years of age with 1 or more **asthma attacks while doing farm work** by age on Black farms, 2000

Age	Total †		Attack at Work		No Attack at Work		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
<b>&lt;10 years</b>	<b>235</b>	<b>17</b>	<b>58</b>	<b>8</b>	<b>78</b>	<b>9</b>	<b>99</b>
<b>10-15 years</b>	<b>314</b>	<b>19</b>	<b>106</b>	<b>11</b>	<b>119</b>	<b>12</b>	<b>90</b>
10-11 years	118	11	46	7	45	7	27
12-13 years	102	10	23	5	45	4	34
14-15 years	95	10	37	6	30	5	29
<b>16-19 years</b>	<b>189</b>	<b>15</b>	<b>62</b>	<b>9</b>	<b>112</b>	<b>11</b>	<b>15</b>
16-17 years	119	11	32	6	76	9	11
18-19 years	71	9	30	6	36	7	4
<b>Unknown</b>	<b>7</b>		<b>2</b>		<b>4</b>		<b>0</b>
<b>Total †</b>	<b>745</b>	<b>30</b>	<b>228</b>	<b>17</b>	<b>313</b>	<b>20</b>	<b>204</b>

† Estimates may not add to the total because of rounding.

Table 3.82 National estimates of **asthmatic household youth** less than 20 years of age with 1 or more **asthma attacks while doing farm work** by type of farm on Black farms, 2000

Type of Farm	Total †		Attack at Work		No Attack at Work		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
<b>All crop</b>	<b>261</b>	<b>19</b>	<b>83</b>	<b>11</b>	<b>119</b>	<b>14</b>	<b>58</b>
Grain and oil seed	77	11	23	5	24	8	30
Tobacco	29	6	9	4	18	4	2
Cotton	31	8	13	6	14	4	4
Vegetable and melon	38	7	11	3	20	5	7
Fruit, nut, and berry	21	5	***		***		8
All other crop*	65		***		***		7
<b>All livestock</b>	<b>465</b>	<b>24</b>	<b>138</b>	<b>13</b>	<b>185</b>	<b>15</b>	<b>142</b>
Beef	371	21	102	11	163	13	107
Hog	34	7	9	3	9	3	16
Sheep and goat	14	4	9	3	0		5
Equine	24	7	9	4	9	5	6
Poultry and egg	11	3	***		***		***
All other livestock**	12		***		***		***
<b>Unknown</b>	<b>20</b>		<b>7</b>		<b>9</b>		<b>3</b>
<b>Total †</b>	<b>745</b>	<b>30</b>	<b>228</b>	<b>17</b>	<b>313</b>	<b>20</b>	<b>204</b>

† Estimates may not add to the total because of rounding.

\* All other crop includes "Nursery and floriculture" and "Other crop" farms.

\*\* All other livestock includes "Dairy," "Aquaculture," and "Other livestock" farms.

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.83 National estimates of **asthmatic household youth** less than 20 years of age with 1 or more **asthma attacks requiring professional medical attention** by sex on Black farms, 2000

Sex	Total †		Medical Attention		No Medical Attention		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
Male	473	24	159	13	315	20	0
Female	270	17	66	9	201	14	2
Unknown	2		0		2		0
<b>Total †</b>	<b>745</b>	<b>30</b>	<b>225</b>	<b>16</b>	<b>518</b>	<b>25</b>	<b>2</b>

† Estimates may not add to the total because of rounding.

Table 3.84 National estimates of **asthmatic household youth** less than 20 years of age with 1 or more **asthma attacks requiring professional medical attention** by age on Black farms, 2000

Age	Total †		Medical Attention		No Medical Attention		Unknown
	Estimate	se	Estimate	se	Estimate	se	Estimate
<b>&lt;10 years</b>	<b>235</b>	<b>17</b>	<b>86</b>	<b>9</b>	<b>149</b>	<b>13</b>	<b>0</b>
<b>10-15 years</b>	<b>314</b>	<b>19</b>	<b>89</b>	<b>10</b>	<b>223</b>	<b>16</b>	<b>2</b>
10-11 years	118	11	42	7	76	9	0
12-13 years	102	10	26	5	76	9	0
14-15 years	95	10	21	5	71	8	2
<b>16-19 years</b>	<b>189</b>	<b>15</b>	<b>49</b>	<b>7</b>	<b>141</b>	<b>13</b>	<b>0</b>
16-17 years	119	11	25	5	93	10	0
18-19 years	71	9	23	5	48	8	0
<b>Unknown</b>	<b>7</b>		<b>2</b>		<b>2</b>		<b>0</b>
<b>Total †</b>	<b>745</b>	<b>30</b>	<b>225</b>	<b>16</b>	<b>518</b>	<b>25</b>	<b>2</b>

† Estimates may not add to the total because of rounding.

Table 3.85 National estimates of **asthmatic household youth** less than 20 years of age with 1 or more **asthma attacks requiring professional medical attention** by type of farm on Black farms, 2000

Type of Farm	Total †		Medical Attention		No Medical Attention		Unknown Estimate
	Estimate	se	Estimate	se	Estimate	se	
<b>All crop</b>	<b>261</b>	<b>19</b>	<b>72</b>	<b>9</b>	<b>188</b>	<b>16</b>	<b>0</b>
Grain and oil seed	77	11	19	5	58	10	0
Tobacco	29	6	***		***		0
Cotton	31	8	13	5	18	5	0
Vegetable and melon	38	7	***		***		0
Fruit, nut, and berry	21	5	8	3	13	4	0
All other crop*	65		21		44		0
<b>All livestock</b>	<b>465</b>	<b>24</b>	<b>151</b>	<b>13</b>	<b>312</b>	<b>19</b>	<b>2</b>
Beef	371	21	109	11	260	17	2
Hog	34	7	18	5	16	6	0
Sheep and goat	14	4	7	3	6	2	0
Equine	24	7	***		***		0
Poultry and egg	11	3	***		***		0
All other livestock**	12		12		0		0
<b>Unknown</b>	<b>20</b>		<b>2</b>		<b>17</b>		<b>0</b>
<b>Total †</b>	<b>745</b>	<b>30</b>	<b>225</b>	<b>16</b>	<b>518</b>	<b>25</b>	<b>2</b>

† Estimates may not add to the total because of rounding.

\* All other crop includes "Nursery and floriculture" and "Other crop" farms.

\*\* All other livestock includes "Dairy," "Aquaculture," and "Other livestock" farms.

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.86 National estimates of **asthma prevalence rates for household youth** less than 20 years of age on Black farms by sex and age, 2000

Age	Total		Male		Female	
	Rate/1000	se	Rate/1000	se	Rate/1000	se
<b>&lt;10 years</b>	<b>99.85</b>	<b>7.44</b>	<b>130.04</b>	<b>11.77</b>	<b>68.11</b>	<b>8.00</b>
<b>10-15 years</b>	<b>109.05</b>	<b>6.97</b>	<b>124.98</b>	<b>10.37</b>	<b>91.52</b>	<b>8.42</b>
10-11 years	132.19	13.44	155.17	19.65	105.83	16.73
12-13 years	108.31	11.66	134.53	18.73	80.14	13.60
14-15 years	90.08	9.64	89.90	13.57	90.26	13.72
<b>16-19 years</b>	<b>89.40</b>	<b>7.38</b>	<b>106.82</b>	<b>10.84</b>	<b>68.64</b>	<b>8.98</b>
16-17 years	103.25	10.06	115.81	14.85	88.98	13.38
18-19 years	72.95	9.99	96.67	15.95	43.11	10.24
<b>Total</b>	<b>96.94</b>	<b>4.19</b>	<b>121.29</b>	<b>6.45</b>	<b>77.18</b>	<b>5.08</b>

Table 3.87 National estimates of **asthma prevalence rates for household youth** less than 20 years of age on Black farms by sex and type of farm, 2000

Type of Farm	Total		Male		Female	
	Rate/1000	se	Rate/1000	se	Rate/1000	se
<b>All crop</b>	<b>106.27</b>	<b>8.23</b>	<b>129.74</b>	<b>11.99</b>	<b>82.10</b>	<b>9.30</b>
Grain and oil seed	83.76	12.31	100.22	17.60	64.97	13.08
Tobacco	77.54	16.60	95.50	25.63	60.37	18.22
Cotton	215.73	57.77	273.86	72.26	123.88	63.77
Vegetable and melon	100.50	19.55	132.18	31.58	71.17	19.91
Fruit, nut, and berry	150.68	42.93	179.76	63.63	116.35	50.29
All other crop*	129.26		145.05		117.76	
<b>All livestock</b>	<b>98.07</b>	<b>5.34</b>	<b>118.80</b>	<b>7.98</b>	<b>75.06</b>	<b>6.24</b>
Beef	93.00	5.52	106.33	7.82	78.66	6.98
Hog	131.76	31.32	***		***	
Sheep and goat	161.56	49.98	***		***	
Equine	116.49	36.79	***		***	
Poultry and egg	98.85	32.32	***		***	
All other livestock**	120.91		262.93		0.00	
<b>Total</b>	<b>96.94</b>	<b>4.19</b>	<b>121.29</b>	<b>6.45</b>	<b>77.18</b>	<b>5.08</b>

\* All other crop includes "Nursery and floriculture" and "Other crop" farms.

\*\* All other livestock includes "Dairy," "Aquaculture," and "Other livestock" farms.

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.88 National estimates of **asthma prevalence rates for household youth** less than 20 years of age on Black farms by age and type of farm, 2000

Type of Farm	Total		<10 years		10-15 years		16-19 years	
	Rate/1000	se	Rate/1000	se	Rate/1000	se	Rate/1000	se
<b>All crop</b>	<b>106.27</b>	<b>8.23</b>	<b>103.08</b>	<b>12.46</b>	<b>132.23</b>	<b>14.92</b>	<b>74.16</b>	<b>10.51</b>
Grain and oil seed	83.76	12.31	97.67	20.14	104.42	26.08	46.57	12.64
Tobacco	77.54	16.60	***		88.87	28.33	***	
Cotton	215.73	57.77	203.97	79.60	214.99	69.32	234.04	85.66
Vegetable and melon	100.50	19.55	***		119.61	32.05	79.22	26.81
Fruit, nut, and berry	150.68	42.93	***		233.28	76.97	***	
All other crop*	129.26		108.98		176.66		97.18	
<b>All livestock</b>	<b>98.07</b>	<b>5.34</b>	<b>98.14</b>	<b>9.48</b>	<b>97.14</b>	<b>7.68</b>	<b>99.64</b>	<b>10.23</b>
Beef	93.00	5.52	92.41	9.64	91.83	7.93	95.66	10.56
Hog	131.76	31.32	142.58	58.52	137.93	42.50	***	
Sheep and goat	161.56	49.98	339.90	158.73	***		***	
Equine	116.49	36.79	***		***		146.21	74.18
Poultry and egg	98.85	32.32	***		***		***	
All other livestock**	120.91		***		208.55		***	
<b>Total</b>	<b>96.94</b>	<b>4.19</b>	<b>99.85</b>	<b>7.44</b>	<b>109.05</b>	<b>6.97</b>	<b>89.40</b>	<b>7.38</b>

\* All other crop includes "Nursery and floriculture" and "Other crop" farms.

\*\* All other livestock includes "Dairy," "Aquaculture," and "Other livestock" farms.

\*\*\* Estimate is not reportable or is suppressed because of a non-reportable cell.

Table 3.89 National estimates of **asthma prevalence rates for household youth** less than 20 years of age with 1 or more **asthma attacks while doing farm work** by sex on Black farms, 2000

Sex	Total	
	Rate/1000	se
Male	81.24	7.25
Female	74.53	10.20
<b>Total</b>	<b>79.71</b>	<b>6.23</b>

Table 3.90 National estimates of **asthma prevalence rates for household youth** less than 20 years of age with 1 or more **asthma attacks while doing farm work** by age on Black farms, 2000

Age	Total	
	Rate/1000	se
<b>&lt;10 years</b>	<b>195.07</b>	<b>29.43</b>
<b>10-15 years</b>	<b>76.30</b>	<b>8.08</b>
10-11 years	121.14	19.22
12-13 years	50.56	10.77
14-15 years	66.52	11.12
<b>16-19 years</b>	<b>53.61</b>	<b>7.93</b>
16-17 years	49.02	8.92
18-19 years	59.52	11.36
<b>Total</b>	<b>79.71</b>	<b>6.23</b>

Table 3.91 National estimates of **asthma prevalence rates for household youth** less than 20 years of age with 1 or more **asthma attacks while doing farm work** by type of farm on Black farms, 2000

Type of Farm	Total	
	Rate/1000	se
<b>All crop</b>	<b>93.45</b>	<b>12.61</b>
Grain and oil seed	72.31	16.44
Tobacco	59.55	24.31
Cotton	266.80	129.13
Vegetable and melon	73.07	22.38
All other crop*	124.65	
<b>All livestock</b>	<b>72.42</b>	<b>7.16</b>
Beef	64.82	7.38
Hog	88.50	36.97
Sheep and goat	232.14	92.59
Equine	94.85	40.94
All other livestock**	90.20	
<b>Total</b>	<b>79.71</b>	<b>6.23</b>

\* All other crop includes "Fruit, nut, and berry," "Nursery and floriculture," and "Other crop" farms.

\*\* All other livestock includes "Dairy," "Poultry and egg," "Aquaculture," and "Other livestock" farms.

Table 3.92 National estimates of **asthma prevalence rates for household youth** less than 20 years of age with 1 or more **asthma attacks requiring professional medical attention** by sex on Black farms, 2000

Sex	Total	
	Rate/1000	se
Male	40.71	3.39
Female	18.99	2.46
<b>Total</b>	<b>29.31</b>	<b>2.12</b>

Table 3.93 National estimates of **asthma prevalence rates for household youth** less than 20 years of age with 1 or more **asthma attacks requiring professional medical attention** by age on Black farms, 2000

Age	Total	
	Rate/1000	se
<b>&lt;10 years</b>	<b>36.43</b>	<b>4.10</b>
<b>10-15 years</b>	<b>30.84</b>	<b>3.47</b>
10-11 years	46.93	7.55
12-13 years	27.43	5.52
14-15 years	20.09	4.42
<b>16-19 years</b>	<b>22.90</b>	<b>3.49</b>
16-17 years	22.11	4.40
18-19 years	23.73	5.11
<b>Total</b>	<b>29.31</b>	<b>2.12</b>

Table 3.94 National estimates of **asthma prevalence rates for household youth** less than 20 years of age with 1 or more **asthma attacks requiring professional medical attention** by type of farm on Black farms, 2000

Type of Farm	Total	
	Rate/1000	se
<b>All crop</b>	<b>29.45</b>	<b>3.89</b>
Grain and oil seed	21.05	5.13
Cotton	93.25	33.75
Fruit, nut, and berry	56.96	23.87
All other crop*	25.24	
<b>All livestock</b>	<b>31.78</b>	<b>2.77</b>
Beef	27.36	2.75
Hog	70.98	18.93
Sheep and goat	86.08	35.48
All other livestock**	39.11	
<b>Total</b>	<b>29.31</b>	<b>2.12</b>

\* All other crop includes "Tobacco," "Vegetable and melon," "Nursery and floriculture," and "Other crop" farms.

\*\* All other livestock includes "Dairy," "Equine," "Poultry and egg," "Aquaculture," and "Other livestock" farms.